



US00D691425S

(12) **United States Design Patent**
Zemel et al.

(10) **Patent No.:** **US D691,425 S**
(45) **Date of Patent:** **** Oct. 15, 2013**

(54) **CONTAINER**

(71) Applicant: **Mr. Bar-B-Q-, Inc.**, Old Bethpage, NY
(US)

(72) Inventors: **Marc Zemel**, Old Bethpage, NY (US);
Adam Schillen, Dix Hills, NY (US)

(73) Assignee: **Ferrellgas Real Estate, Inc.**, Liberty,
MO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/446,887**

(22) Filed: **Feb. 28, 2013**

(51) **LOC (9) Cl.** **07-07**

(52) **U.S. Cl.**
USPC **D7/629; D7/667**

(58) **Field of Classification Search**

USPC D7/601, 602, 629, 630, 538–542, 667;
220/780–806, 574–575, 675, 573.1,
220/660, 260, 288, 326, 236, 4.21, 23.83,
220/23.4, 4.24, 4.27, 669–673; D3/273,
D3/274, 201, 203.1–203.8; D9/424–432;
210/470–478, 464, 497.1, 498

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,300,748 A * 4/1994 Colombo 219/734
5,988,050 A * 11/1999 Foster, Jr. 99/467
D528,376 S * 9/2006 Munson et al. D7/667
D543,412 S * 5/2007 Munson D7/354
D568,102 S * 5/2008 Ruiz de Az a D7/505
D569,169 S * 5/2008 Munson D7/354
D584,112 S * 1/2009 Ehrenhaus et al. D7/667
D615,825 S * 5/2010 Curtin D7/667
D641,217 S * 7/2011 Chen et al. D7/667

D653,917 S * 2/2012 Ehrenhaus D7/667
D657,203 S * 4/2012 Pallotto D7/629
D660,092 S * 5/2012 Kyung D7/629
D660,095 S * 5/2012 Kyung D7/629
D682,609 S * 5/2013 Lindsay et al. D7/392.1
2005/0035125 A1 * 2/2005 Bae 220/326

* cited by examiner

OTHER PUBLICATIONS

Charcoal Companion's Grill Station, found at <http://www.worldmarket.com/product/4-piece-grill-station.do?from=Search&cx=0>; also at, http://ii.worldmarket.com/fcgi-bin/iipsrv.fcgi?FIF=/images/worldmarket/source/9599_XXX_v2.tif&wid=2000&cvt=jpeg dated May 28, 2013.

Primary Examiner — Terry Wallace

(74) *Attorney, Agent, or Firm* — Carter, DeLuca, Farrell & Schmidt, LLP

(57) **CLAIM**

The ornamental design for a container, as shown and described.

DESCRIPTION

FIG. 1 is an exploded isometric front perspective view of a container in accordance with the present design;

FIG. 2 is an exploded isometric front elevational view thereof;

FIG. 3 is an exploded isometric rear elevational view thereof;

FIG. 4 is an exploded isometric right side elevational view thereof;

FIG. 5 is an exploded isometric left side elevational view thereof

FIG. 6 is a top plan view of the exploded isometric view of FIGS. 1-5;

FIG. 7 is a bottom plan view of the exploded isometric view of FIGS. 1-5;

FIG. 8 is a front perspective view of the container in a locked configuration in accordance with the present design;

FIG. 9 is a front elevational view thereof;

FIG. 10 is a rear elevational view thereof;

FIG. 11 is a right side elevational view thereof;


FIG. 12 is a left side elevational view thereof;

FIG. 13 is a top plan view thereof; and,

FIG. 14 is a bottom plan view thereof.

The stippling in the drawings is for shading purposes only.

1 Claim, 12 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14