



US00D691601S

(12) **United States Design Patent**
Murchison et al.

(10) **Patent No.:** **US D691,601 S**
(45) **Date of Patent:** **** Oct. 15, 2013**

(54) **ELECTRONIC DEVICE SHELL**

(71) Applicant: **Research in Motion Limited**, Waterloo (CA)

(72) Inventors: **Ian James Murchison**, Ottawa (CA);
Anders Fahrendorff, Ottawa (CA);
Shannon Tyler Moore, Ayr (CA)

(73) Assignee: **BlackBerry Limited**, Waterloo, Ontario (CA)

(**) Term: **14 Years**

(21) Appl. No.: **29/446,175**

(22) Filed: **Feb. 21, 2013**

(51) **LOC (9) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/250**

(58) **Field of Classification Search**

USPC D14/250–253, 440, 203.3–203.7, 217, D14/496, 248, 238.1, 240, 447, 341–347, D14/444; D13/103, 107–108, 119; D3/201, D3/218, 247, 269, 273, 301, 303; 248/309.1, 371, 176.3, 668; 361/679.56, 679.3, 679.25, 816; 379/426, 433.11, 455; 455/575.1, 455/575.8; 206/305, 320; 320/108, 115; 429/96; 220/4.02; 150/165

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|-------------------|---------|--------------------|---------|
| D490,419 S * | 5/2004 | Shiue et al. | D14/341 |
| D603,603 S * | 11/2009 | Laine et al. | D3/218 |
| D648,332 S * | 11/2011 | Kim et al. | D14/248 |
| D659,691 S * | 5/2012 | Kim et al. | D14/250 |
| D663,297 S * | 7/2012 | de Jong et al. | D14/341 |
| D666,824 S * | 9/2012 | Phillips et al. | D3/303 |
| D666,826 S * | 9/2012 | Phillips et al. | D3/303 |
| D667,821 S * | 9/2012 | Li | D14/248 |
| 8,286,789 B2 * | 10/2012 | Wilson et al. | 206/320 |
| D671,933 S * | 12/2012 | Rodgers | D14/250 |
| D678,327 S * | 3/2013 | Lee et al. | D14/496 |
| D679,692 S * | 4/2013 | Fahrendorff et al. | D14/250 |
| D681,617 S * | 5/2013 | Weller et al. | D14/250 |
| D683,340 S * | 5/2013 | Chang et al. | D14/250 |
| 2012/0037524 A1 * | 2/2012 | Lonsdale et al. | 206/320 |

* cited by examiner

Primary Examiner — Carla Jobe Wright



(57) **CLAIM**

The ornamental design for an electronic device shell, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of an electronic device shell showing our new design;
FIG. 2 is a rear perspective view thereof;
FIG. 3 is an elevation view showing a front thereof;
FIG. 4 is an elevation view showing a rear thereof;
FIG. 5 is an elevation view showing a right side thereof;
FIG. 6 is another elevation view showing a left side thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a bottom plan view thereof.
The broken lines shown in FIGS. 6 and 8 illustrate environment which forms no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG. 7




FIG. 8