

US00D691700S

(12) **United States Design Patent**
Michael

(10) **Patent No.:** **US D691,700 S**

(45) **Date of Patent:** **** Oct. 15, 2013**

(54) **BLOWGUN**

(75) Inventor: **Khaitov Michael**, Carteret, NJ (US)

(73) Assignee: **Coilhose Pnematics, Inc.**, New Brunswick, NJ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/405,711**

(22) Filed: **Nov. 4, 2011**

(51) **LOC (9) Cl.** **23-01**

(52) **U.S. Cl.**
USPC **D23/226**

(58) **Field of Classification Search**
USPC D23/213, 223; 239/290–292, DIG. 22
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,722,103	A *	7/1929	McFarlan	251/320
D140,837	S *	4/1945	Baur	D23/226
2,783,092	A *	2/1957	Gavin et al.	239/291
D179,859	S *	3/1957	Morthmore	D23/226
D215,287	S *	9/1969	Nordeen	D23/226
3,599,876	A *	8/1971	Kyburg	239/291
3,774,847	A *	11/1973	Malec	239/124
3,880,355	A *	4/1975	Larson et al.	239/288.3
5,832,974	A *	11/1998	Jou	141/392
6,543,705	B1 *	4/2003	Liao	239/340
6,976,640	B2 *	12/2005	Chen	239/291
7,591,435	B1 *	9/2009	Downey et al.	239/1

OTHER PUBLICATIONS

Parker Hannifin Corporation, Catalog MRO-6T/USA, 2007, pp. f1 to f3, Cleveland, OH.
Nycoil, Product Bulletin: GB02A, pp. 1 to 3, Fanwood, NJ.

Dixon Valve & Coupling Company, Product Brochure DAC501-2P20M, 2002, Chestertown, MD.
Gates Corporation, Amflo Catalog No. ACD-2002, 2007, Dixon, IL.

* cited by examiner

Primary Examiner — Robin V Webster
(74) *Attorney, Agent, or Firm* — Bert P. Krages, II

(57) **CLAIM**

The ornamental design for a blowgun, as shown and described.

DESCRIPTION

FIG. 1 is an upper perspective view of the blow gun showing the new design thereof;

FIG. 2 is a bottom perspective view of the blow gun shown in FIG. 1;

FIG. 3 is a top view of the blow gun shown in FIG. 1;

FIG. 4 is a left side view of the blow gun shown in FIG. 1;

FIG. 5 is a bottom view of the blow gun shown in FIG. 1;

FIG. 6 is a right view of the blow gun shown in FIG. 1;

FIG. 7 is a rear view of the blow gun shown in FIG. 1;

FIG. 8 is a front view of the blow gun shown in FIG. 1;

FIG. 9 is an upper perspective view of another embodiment of the blow gun shown in FIG. 1;

FIG. 10 is a bottom perspective view of another embodiment of the blow gun in FIG. 1;

FIG. 11 is a top view of another embodiment of the blow gun shown in FIG. 1;

FIG. 12 is a left side view of another embodiment of the blow gun shown in FIG. 1;

FIG. 13 is a bottom view of another embodiment of the blow gun shown in FIG. 1;



FIG. 14 is a right side view of another embodiment of the blow gun shown in FIG. 1;

FIG. 15 is a rear view of another embodiment of the blow gun shown in FIG. 1; and,

FIG. 16 is a front view of another embodiment of the blow gun shown in FIG. 1.

The broken line showing is included for the purpose of illustrating and forms no part of the claimed design.

1 Claim, 6 Drawing Sheets






Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10




Figure 11




Figure 12




Figure 13




Figure 14




Figure 15




Figure 16