US00D691731S

(12) United States Design Patent
Grippo

(10) Patent No.: US D691,731 S
(45) Date of Patent: ** Oct. 15, 2013

(54) **PERSONAL MASSAGER**

(71) Applicant: **Rene Grippo**, Boulder, CO (US)

(72) Inventor: **Rene Grippo**, Boulder, CO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/452,968**

(22) Filed: **Apr. 24, 2013**

Related U.S. Application Data

(63) Continuation of application No. 13/113,915, filed on May 23, 2011, which is a continuation-in-part of application No. 11/942,899, filed on Nov. 20, 2007, now abandoned.

(51) **LOC (9) Cl.** **28-03**

(52) **U.S. Cl.**
USPC **D24/215**

(58) **Field of Classification Search**
USPC D24/200, 211, 212, 213, 214, 215; 601/114, 120, 121, 124, 125, 130, 131, 601/134, 135, 136, 137
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D268,362 S * 3/1983 Wong D24/211
D317,204 S * 5/1991 Henneseey D24/211

(Continued)

Primary Examiner — Sandra Snapp

(57) **CLAIM**

We claim the ornamental design for the personal massager, as shown.

DESCRIPTION

FIG. **1** is an upper perspective view of the personal massager;
FIG. **2** is a side elevation view of the personal massager;
FIG. **3** is a side elevation view of the personal massager in use, wherein the user is utilizing the personal massager to massage a hard-to-reach area;
FIG. **4** is a side elevation view of the personal massager in use, wherein the user is in a chair is utilizing the personal massager to massage an easy-to-reach area;
FIG. **5** is an upper perspective view of the personal massager as an integral assembly;
FIG. **6** is a side elevation view of the personal massager as an integral assembly;
FIG. **7** shows a perspective view of a personal massager having straps at each end, with the personal massager in use utilizing an arcuate extension as a fulcrum pivot point on a surface on a floor to gain leverage for a force to be applied at a first massage portion via a handle from a user's hand;
FIG. **8** shows a perspective view of the personal massager having straps at each end, with the personal massager in use utilizing the arcuate extension again as a fulcrum pivot point on the surface on the floor to gain leverage for the force to be applied at the first massage portion via the handle from the user's hand in a more remote location;
FIG. **9** shows a perspective view of the personal massager having straps at each end, with the personal massager in use utilizing the arcuate extension as a fulcrum pivot point and the massage device as against a user's leg with a second portion trapped between a user's other leg and a couch seat with a user pushing down on the handle creating an end pivot at the second portion opposite of the handle;
FIG. **10** shows a perspective view of the personal massager in use utilizing the arcuate extension again as a fulcrum pivot point on a surface on a chair back to gain leverage for a force to be applied at the first massage portion via the handle from a user in a more remote location on a user's back; and,
FIG. **11** shows a perspective view of the personal massager having straps at each end, with the personal massager in use utilizing the retention straps disposed at the handle and the opposing second portion allowing a user to apply force at the retention straps to effectuate massage force at selected locations on their back from the personal massager.
The broken lines shown in the drawings are for illustrative purposes only and from no part of the claimed design.

1 Claim, 11 Drawing Sheets



(56) **References Cited**

U.S. PATENT DOCUMENTS

D326,525	S	*	5/1992	Shimizu	D24/214
D336,959	S	*	6/1993	Liming	D24/214
D340,527	S	*	10/1993	Goodell	D24/211
D359,124	S	*	6/1995	Rosenberg	D24/211
5,560,716	A	*	10/1996	Tank et al.	384/492
D402,764	S	*	12/1998	Chatfield	D24/211
D403,431	S	*	12/1998	Gladieux, Jr.	D24/215
D405,536	S	*	2/1999	Haynes	D24/214
D423,676	S	*	4/2000	Lazio	D24/214
D436,181	S	*	1/2001	Lazio	D24/214
D444,566	S	*	7/2001	Thomas et al.	D24/214
6,261,251	B1	*	7/2001	Meyers	601/135
D456,909	S	*	5/2002	Szabo	D24/214
D461,009	S	*	7/2002	Viner	D24/214
6,578,826	B2	*	6/2003	Pilcher	256/19
6,758,826	B2	*	7/2004	Luettgen et al.	601/73
D497,004	S	*	10/2004	Kung	D24/214
7,122,015	B2	*	10/2006	Luettgen et al.	601/73
D590,510	S	*	4/2009	Johansen et al.	D24/214
D646,794	S	*	10/2011	Hennessey	D24/214
D669,591	S	*	10/2012	Heininen	D24/214

* cited by examiner



Fig. 1



Fig. 2



Fig. 3



Fig. 4



Fig. 5



Fig. 6



Fig. 7



Fig. 8



Fig. 9

Fig. 10





Fig. 11