



US00D692330S

(12) **United States Design Patent**
Burkandt et al.

(10) **Patent No.:** **US D692,330 S**

(45) **Date of Patent:** **** Oct. 29, 2013**

(54) **LASER DISTANCE MEASUREMENT DEVICE**

(75) Inventors: **Marco Burkandt**, Munich (DE); **Janine Budde**, Munich (DE)

(73) Assignee: **Leica Geosystems AG** (CH)

(**) Term: **14 Years**

(21) Appl. No.: **29/427,565**

(22) Filed: **Jul. 19, 2012**

(30) **Foreign Application Priority Data**

Jan. 23, 2012 (WO) PCT/DM2004/077778

(51) **LOC (9) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/70; D10/78**

(58) **Field of Classification Search**

USPC D10/65, 70, 75, 78; D14/138 R, 138 AA, D14/138 AB, 138 AC, 138 AD, 341-347, D14/507-510, 136, 167, 168, 496, 498, 499, D14/500, 125-134, 239, 371, 374-377, 440, D14/450, 448, 336, 342; 343/702; 345/87, 345/104, 133, 156, 168, 173, 901-905, 345/165; 348/180, 184, 315, 739, 836, 838, 348/325; 364/444, 499; 701/408-418, 431, 701/432, 537; 312/7.2; 341/12; 720/605, 720/669, 600, 655; 369/99, 197; 455/344, 455/347, 575.1; 250/221, 338.3, 340, 239, 250/342, 341, DIG. 1, 353; 307/116, 117; 340/521, 527, 541, 567, 540, 568.2, 340/539.23, 635, 687; 315/159; 324/72.5, 324/556, 133, 149, 503, 543, 555, 66, 72, 324/754, 115, 141, 522; 73/615, 624, 627, 73/644, 514.33, 514.34, 510, 513, 527, 73/530; 356/3.01-5.15; 235/105; 377/5,

377/24.2, 26; 702/155, 160, 176, 78, 79, 702/82, 91-95, 104, 116, 141, 150, 151, 702/154, 127, 131, 182, 183, 189; 600/437, 600/443, 453, 459, 465, 479, 500, 502, 595, 600/485, 481, 483

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D574,276 S * 8/2008 Burkandt D10/70
D576,895 S * 9/2008 Burkandt D10/70

* cited by examiner

Primary Examiner — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Sunstein Kann Murphy & Timbers LLP

(57) **CLAIM**

The ornamental design for the laser distance measurement device, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a laser distance measurement device in a protective frame.
FIG. 2 is a front view of the device and frame.
FIG. 3 is a bottom view of the device and frame.
FIG. 4 is a top view of the device and frame.
FIG. 5 is a side view of the device and frame.
FIG. 6 is a perspective view of the device and frame with an end piece extended.
FIG. 7 is a front view of the device; and,
FIG. 8 is a front view of the frame.

1 Claim, 8 Drawing Sheets






FIG. 1



FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6



FIG. 7




FIG. 8