

US00D692425S

(12) **United States Design Patent**
Kubota et al.

(10) **Patent No.:** **US D692,425 S**

(45) **Date of Patent:** **** Oct. 29, 2013**

(54) **MONITOR DISPLAY**

(71) Applicant: **Sony Corporation**, Tokyo (JP)

(72) Inventors: **Yuuki Kubota**, Tokyo (JP); **Shinpei Hirano**, Tokyo (JP); **Yuji Oikawa**, Tokyo (JP); **Naoto Shimizu**, Tokyo (JP); **Jun Katsumata**, Tokyo (JP); **Shigeya Kuwao**, Tokyo (JP); **Daisuke Ishii**, Tokyo (JP); **Ken Yano**, Tokyo (JP); **Katsuhisa Hakoda**, Tokyo (JP)

(73) Assignee: **Sony Corporation**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/444,572**

(22) Filed: **Jan. 31, 2013**

Related U.S. Application Data

(60) Division of application No. 29/371,670, filed on Jun. 28, 2011, now Pat. No. Des. 677,661, which is a continuation-in-part of application No. 29/347,532, filed on Feb. 25, 2010, now Pat. No. Des. 667,008, which is a continuation-in-part of application No. 29/347,086, filed on Sep. 18, 2009, now Pat. No. Des. 615,542, which is a continuation of application No. 29/309,246, filed on Jul. 11, 2008, now Pat. No. Des. 601,143.

Foreign Application Priority Data

(30) Jan. 29, 2008 (CN) 2008 3 0003084
Jan. 5, 2010 (CN) 2010 3 0002010
Dec. 28, 2010 (CN) 2010 3 0708320

(51) **LOC (9) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/374**

(58) **Field of Classification Search**


USPC D14/371-376, 125-129, 331, 336;
D6/300, 308; 345/104, 156, 168, 173,
345/901-905; 248/917-924, 121, 176.1,
248/278.1; 348/180, 184, 325, 739; 349/1,
349/2, 11, 62; 361/679.01-679.09

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D355,170 S	2/1995	Mizusugi et al.	
D380,213 S	6/1997	Morimiya	
D432,102 S	10/2000	Arie	
D446,515 S	8/2001	Arpe	
6,343,006 B1	1/2002	Moscovitch et al.	
D463,420 S	9/2002	Stener et al.	
D464,348 S	10/2002	Takemasa et al.	
D483,035 S	12/2003	Lee	
D489,067 S	4/2004	Olson et al.	
D500,991 S	1/2005	Niitsu	
D501,185 S	1/2005	Sato et al.	
D513,254 S	12/2005	Chu et al.	
D534,508 S	1/2007	Yamada	
D538,800 S	3/2007	Zhang et al.	
D556,707 S	12/2007	Fujii	
D564,990 S	3/2008	Ueno	
D570,804 S	6/2008	Fujiki	
D572,023 S	7/2008	Park	
D572,677 S	7/2008	Niitsu	
D585,887 S	2/2009	Shimizu	
D587,702 S	3/2009	Niitsu et al.	
D587,709 S	3/2009	Niitsu et al.	
D588,122 S	3/2009	Shimizu	
D588,123 S	3/2009	Shimizu	
D588,124 S	3/2009	Shimizu	
D588,129 S	3/2009	Shimizu	
D588,561 S	3/2009	Niitsu et al.	
D595,248 S	6/2009	Fujii et al.	
D597,978 S *	8/2009	Won et al.	D14/126
D598,404 S	8/2009	Arie et al.	
D600,233 S	9/2009	Birsel et al.	
D600,695 S	9/2009	Niitsu et al.	
D601,143 S	9/2009	Oikawa et al.	
D610,143 S *	2/2010	Park et al.	D14/374
D615,513 S *	5/2010	Yamaguchi et al.	D14/126
D615,542 S	5/2010	Oikawa et al.	
D619,979 S *	7/2010	Lee et al.	D14/126
D677,661 S *	3/2013	Hirano et al.	D14/374



FOREIGN PATENT DOCUMENTS

JP	D1236447	S	4/2005
JP	D1236880	S	4/2005
JP	D1236881	S	4/2005
JP	D1236882	S	4/2005
JP	D1203771	S	6/2007
JP	D1302946	S	6/2007
JP	D1302947	S	6/2007
JP	D1303612	S	6/2007
JP	D1303613	S	6/2007
JP	D1303614	S	6/2007
JP	D1334682	S	6/2008
KR	30-0383475	S	3/2008

* cited by examiner

Primary Examiner — Freda S Nunn

(74) *Attorney, Agent, or Firm* — Rader, Fishman & Grauer, PLLC

(57) **CLAIM**

The ornamental design for a monitor display, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a monitor display showing my new design;
 FIG. 2 is a front elevational view thereof;
 FIG. 3 is a rear elevational view thereof;
 FIG. 4 is a left side elevational view thereof;
 FIG. 5 is a right side elevational view thereof;
 FIG. 6 is a top plan view thereof; and
 FIG. 7 is a bottom plan view thereof.
 FIG. 8 is a perspective view of a stand thereof shown separately for clarity of illustration only;
 FIG. 9 is a front elevational view thereof;
 FIG. 10 is a rear elevational view thereof;
 FIG. 11 is a left side elevational view thereof;

FIG. 12 is a right side elevational view thereof;
 FIG. 13 is a top plan view thereof; and
 FIG. 14 is a bottom plan view thereof.
 FIG. 15 is a perspective view of the monitor display of FIG. 1 combined with the stand part of FIG. 8;
 FIG. 16 is a front elevational view thereof;
 FIG. 17 is a rear elevational view thereof;
 FIG. 18 is a left side elevational view thereof;
 FIG. 19 is a right side elevational view thereof;
 FIG. 20 is a top plan view thereof; and,
 FIG. 21 is a bottom plan view thereof.
 FIG. 22 is a perspective view of a second embodiment of a monitor display showing my new design;
 FIG. 23 is a front elevational view thereof;
 FIG. 24 is a rear elevational view thereof;
 FIG. 25 is a left side elevational view thereof;
 FIG. 26 is a right side elevational view thereof;
 FIG. 27 is a top plan view thereof; and
 FIG. 28 is a bottom plan view thereof.
 FIG. 29 is a perspective view of a stand thereof shown separately for clarity of illustration only;
 FIG. 30 is a front elevational view thereof;
 FIG. 31 is a rear elevational view thereof;
 FIG. 32 is a left side elevational view thereof;
 FIG. 33 is a right side elevational view thereof;
 FIG. 34 is a top plan view thereof; and
 FIG. 35 is a bottom plan view thereof.
 FIG. 36 is a perspective view of the monitor display of FIG. 22 combined with the stand part of FIG. 29;
 FIG. 37 is a front elevational view thereof;
 FIG. 38 is a rear elevational view thereof;
 FIG. 39 is a left side elevational view thereof;
 FIG. 40 is a right side elevational view thereof;
 FIG. 41 is a top plan view thereof; and,
 FIG. 42 is its bottom plan view thereof.

1 Claim, 24 Drawing Sheets




FIG.1




FIG.2




FIG.3




FIG. 5




FIG. 4




FIG. 6




FIG. 7

FIG.8




FIG.9





FIG.10






FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG.15




FIG.16




FIG.17




FIG.19




FIG.18




FIG. 20




FIG. 21




FIG.22




FIG.23




FIG.24




FIG. 26




FIG. 25




FIG. 27




FIG. 28

FIG.29




FIG.30





FIG.31






FIG. 33




FIG. 35




FIG. 32




FIG. 34




FIG.36




FIG.37




FIG.38




FIG.40




FIG.39




FIG. 41




FIG. 42

UNITED STATES PATENT AND TRADEMARK OFFICE
Certificate

Patent No. D. 692,425 S

Patented: October 29, 2013

On petition requesting issuance of a certificate for correction of inventorship pursuant to 35 U.S.C. 256, it has been found that the above identified patent, through error and without any deceptive intent, improperly sets forth the inventorship.

Accordingly, it is hereby certified that the correct inventorship of this patent is: Yuuki Kubota, Tokyo (JP).

Signed and Sealed this Twenty-fifth Day of February 2014.

IAN SIMMONS
Supervisory Patent Examiner
Art Unit 2916
Technology Center 2900