

US00D692600S

(12) **United States Design Patent**
Kamm

(10) **Patent No.:** **US D692,600 S**
(45) **Date of Patent:** **** Oct. 29, 2013**

(54) **FLASHLIGHT**

(75) **Inventor:** **Benjamin Kamm**, Wiesbaden (DE)

(73) **Assignee:** **Dr. Dieter Rix**, Coesfeld (DE)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/420,324**

(22) **Filed:** **May 8, 2012**

(30) **Foreign Application Priority Data**

Nov. 8, 2011 (EM) 001944042

(51) **LOC (9) Cl.** **26-02**

(52) **U.S. Cl.**
USPC **D26/49**

(58) **Field of Classification Search**
USPC D26/37, 38, 46, 49; 362/157, 158, 184,
362/194-196, 202-208

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D253,494 S * 11/1979 Sit-Lae D26/49
D557,839 S * 12/2007 Shiu D26/37
D563,007 S * 2/2008 Opolka D26/49

D568,514 S * 5/2008 Shiu D26/49
D637,748 S * 5/2011 Caniparoli D26/49
D643,561 S * 8/2011 Maglica D26/49
D667,976 S * 9/2012 Wu D26/49

* cited by examiner

Primary Examiner — Ian Simmons

Assistant Examiner — Carissa C Fitts

(74) *Attorney, Agent, or Firm* — Hudak, Shunk & Farine Co.
LPA


(57) **CLAIM**

The ornamental design for a “flashlight,” as shown and described.

DESCRIPTION

FIG. 1 is a front view of the flashlight;
FIG. 2 is a rear view of the flashlight;
FIG. 3 is a side view of the flashlight;
FIG. 4 is a further side view of the flashlight with a partial right axial rotation as compared to FIG. 3;
FIG. 5 is a side view with the flashlight axially rotated 180° from the view illustrated in FIG. 3;
FIG. 6 is a front perspective view of the flashlight; and,
FIG. 7 is a rear perspective view of the flashlight.
The broken line showing is for environmental purposes only and forms no part of the claimed design.

1 Claim, 7 Drawing Sheets






FIG. 1



FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7