

US00D692668S

(12) **United States Design Patent**
Hu

(10) **Patent No.:** **US D692,668 S**
(45) **Date of Patent:** **** Nov. 5, 2013**

- (54) **MESH BIN**
 - (71) Applicant: **Yajun Hu**, El Dorado Hills, CA (US)
 - (72) Inventor: **Yajun Hu**, El Dorado Hills, CA (US)
 - (73) Assignee: **Designa Group Inc.**, El Dorado Hills, CA (US)
 - (**) Term: **14 Years**
 - (21) Appl. No.: **29/461,479**
 - (22) Filed: **Jul. 23, 2013**
 - (51) **LOC (9) Cl.** **03-01**
 - (52) **U.S. Cl.**
USPC **D3/306**
 - (58) **Field of Classification Search**
USPC D3/201–202, 205–206, 273, 276,
D3/304–307, 312, 314, 309; D19/75, 86,
D19/90; D6/475–476, 525; 206/203,
206/214–215, 822, 307.1; 220/485, 493;
229/100, 406, 915
- See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|---------------|---------|------------------|---------|
| D245,783 S | 9/1977 | Fieni | |
| D301,590 S | 6/1989 | Foran et al. | |
| D304,638 S * | 11/1989 | Ireland | D3/304 |
| 5,271,551 A | 12/1993 | Roepke | |
| D342,854 S * | 1/1994 | Pentz | D6/552 |
| 5,277,360 A * | 1/1994 | DeMott | 229/122 |
| D354,516 S | 1/1995 | Crist et al. | |
| D383,283 S | 9/1997 | Hankins, III | |
| 5,819,933 A * | 10/1998 | Hernandez | 206/373 |
| D419,302 S * | 1/2000 | Hardy et al. | D3/306 |
| D424,117 S | 5/2000 | Steinbeck et al. | |
| D433,711 S | 11/2000 | Andujar | |
| D434,074 S * | 11/2000 | Hardy | D19/75 |
| D451,675 S * | 12/2001 | Hardy et al. | D3/306 |

| | | | |
|--------------|---------|------------------|--------|
| D458,640 S * | 6/2002 | Hofman | D19/90 |
| D472,735 S | 4/2003 | Haugen | |
| D502,584 S * | 3/2005 | Post et al. | D34/27 |
| D507,108 S * | 7/2005 | Suero, Jr. | D3/304 |
| D508,167 S * | 8/2005 | Anderson et al. | D6/566 |
| D508,321 S * | 8/2005 | Anderson et al. | D6/566 |
| D523,245 S | 6/2006 | Post | |
| D528,300 S * | 9/2006 | Hardy et al. | D3/306 |
| D530,517 S * | 10/2006 | Hardy et al. | D3/306 |
| D545,060 S * | 6/2007 | Cheng | D3/306 |
| D551,454 S * | 9/2007 | Cheng | D3/306 |
| D551,455 S | 9/2007 | Norvell | |
| D570,634 S * | 6/2008 | Goodman et al. | D6/566 |
| D579,660 S | 11/2008 | Snider | |
| D584,055 S * | 1/2009 | Hardy et al. | D3/306 |
| D585,195 S * | 1/2009 | Dominique et al. | D3/304 |
| D615,328 S * | 5/2010 | Snider | D6/510 |
| D617,126 S * | 6/2010 | Snider | D6/513 |
| D624,753 S * | 10/2010 | Post et al. | D3/306 |
| D635,363 S * | 4/2011 | Hertaus | D3/307 |
| D639,561 S * | 6/2011 | Hardy et al. | D3/306 |
| D644,491 S | 9/2011 | Snider | |
| D651,405 S | 1/2012 | Lee | |
| D653,876 S * | 2/2012 | Snider | D6/462 |

(Continued)

Primary Examiner — Kelley Donnelly

(57) **CLAIM**


The ornamental design for a mesh bin, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of mesh bin showing my design.
 FIG. 2 is a front view thereof;
 FIG. 3 is a top view thereof;
 FIG. 4 is a bottom view thereof;
 FIG. 5 is a rear side view thereof;
 FIG. 6 is a left side view thereof; and,
 FIG. 7 is a right side view thereof.

The broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D657,562 S * 4/2012 McNamara D3/304
D658,881 S * 5/2012 Post et al. D3/306
D673,369 S * 1/2013 Post et al. D3/306
D675,849 S * 2/2013 Tawil D6/705
D675,850 S * 2/2013 Tawil D6/705

D676,715 S * 2/2013 Tsai D7/600.1
D677,055 S * 3/2013 Nowicky et al. D3/304
D677,056 S * 3/2013 Hu D3/306
D679,501 S * 4/2013 Hu D3/306
D682,040 S * 5/2013 Tiemann D7/600.4
D683,963 S * 6/2013 Tsai D3/304
D686,018 S * 7/2013 Etherington et al. D7/600.1
2005/0077299 A1 * 4/2005 Cheng et al. 220/485

* cited by examiner




FIG.1




FIG.2




FIG.3




FIG.4




FIG. 5




FIG.6




FIG. 7