



US00D692748S

(12) **United States Design Patent**
Short et al.

(10) **Patent No.:** **US D692,748 S**
(45) **Date of Patent:** **** Nov. 5, 2013**

(54) **LID AND CONTAINER ASSEMBLY**

(75) Inventors: **Philip R. Short**, Vineland Station (CA);
Xie F. Song, Shantou (CN)

(73) Assignee: **Vortex Packaging Niagara, Inc.** (CA)

(**) Term: **14 Years**

(21) Appl. No.: **29/419,365**

(22) Filed: **Apr. 27, 2012**

(51) **LOC (9) Cl.** **09-03**

(52) **U.S. Cl.**

USPC **D9/420; D9/425**

(58) **Field of Classification Search**

USPC D9/414–416, 418–420, 423–432, 435;
D7/354, 392.1, 394, 396.1, 538, 543,
D7/545, 550.1, 551, 554.3, 587, 566, 575,
D7/584, 586, 605, 629, 667, 709;
220/4.21–4.24, 574, 602–608, 659,
220/675, 781–782, 793, 835, 839, DIG. 12;
229/401, 406; 206/119, 216, 351, 469,
206/470, 508, 521.1, 525–545, 562,
206/731–734, 775–778, 781, 782, 784, 806,
206/822, 830; 219/725, 728, 732, 735;
D23/359; D3/272–273, 276, 294, 302,
D3/312, 314; 221/191

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,046,659 A * 9/1991 Warburton 220/4.22
D331,361 S * 12/1992 Langolf D9/415
6,349,847 B1 * 2/2002 Mangla et al. 220/754
D473,137 S * 4/2003 Cadiente et al. D9/423
6,644,494 B2 * 11/2003 Hayes et al. 220/839
6,845,878 B2 * 1/2005 Hayes et al. 220/839
D569,243 S * 5/2008 Kidd et al. D9/425
D579,326 S * 10/2008 Chen D9/427
D619,889 S 7/2010 Short et al.
D630,507 S 1/2011 Short et al.
D632,561 S 2/2011 Short et al.
8,091,731 B2 * 1/2012 Kidd et al. 220/788

8,261,933 B2 * 9/2012 Kidd et al. 220/835
2003/0192888 A1 * 10/2003 Chang 220/4.23
2010/0326998 A1 * 12/2010 Short et al. 220/780

* cited by examiner

Primary Examiner — Thomas Johannes

(74) *Attorney, Agent, or Firm* — Steven M. Greenberg, Esq.;
Carey Rodriguez Greenberg O'Keefe, LLP

(57) **CLAIM**

The ornamental design for a lid and container assembly, as shown and described.

DESCRIPTION

FIG. 1 is a top rear perspective view of a first embodiment of a lid and container assembly according to our new design, this first embodiment being opaque, showing the lid and container assembly in a closed configuration.

FIG. 2 is a bottom front perspective view of the lid and container assembly of FIG. 1, showing the lid and container assembly in a closed configuration.

FIG. 3 is a left side view of the lid and container assembly of FIG. 1, showing the lid and container assembly in a closed configuration.

FIG. 4 is a rear view of the lid and container assembly of FIG. 1, showing the lid and container assembly in a closed configuration.

FIG. 5 is a right side view of the lid and container assembly of FIG. 1, showing the lid and container assembly in a closed configuration.

FIG. 6 is a front view of the lid and container assembly of FIG. 1, showing the lid and container assembly in a closed configuration.

FIG. 7 is a top view of the lid and container assembly of FIG. 1, showing the lid and container assembly in a closed configuration.

FIG. 8 is a bottom view of the lid and container assembly of FIG. 1, showing the lid and container assembly in a closed configuration.

FIG. 9 is a top rear perspective view of the lid and container assembly of FIG. 1, showing the lid and container assembly in an open configuration.





FIG. 10 is a top rear perspective view of a second embodiment of a lid and container assembly according to our new design, this second embodiment being transparent, showing the lid and container assembly in a closed configuration.

FIG. 11 is a bottom front perspective view of the lid and container assembly of FIG. 10, showing the lid and container assembly in a closed configuration.

FIG. 12 is a left side view of the lid and container assembly of FIG. 10, showing the lid and container assembly in a closed configuration.

FIG. 13 is a rear view of the lid and container assembly of FIG. 10, showing the lid and container assembly in a closed configuration.

FIG. 14 is a right side view of the lid and container assembly of FIG. 10, showing the lid and container assembly in a closed configuration.

FIG. 15 is a front view of the lid and container assembly of FIG. 10, showing the lid and container assembly in a closed configuration.

FIG. 16 is a top view of the lid and container assembly of FIG. 10, showing the lid and container assembly in a closed configuration.

FIG. 17 is a bottom view of the lid and container assembly of FIG. 10, showing the lid and container assembly in a closed configuration; and,

FIG. 18 is a top rear perspective view of the lid and container assembly of FIG. 10, showing the lid and container assembly in an open configuration.

The broken line showing of parts of the drawings is included for the purpose of illustrating unclaimed use and environment and forms no part of the claimed design.

1 Claim, 14 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 15




FIG. 14




FIG. 16




FIG. 17




FIG. 18