



US00D692830S

(12) **United States Design Patent**
Junko et al.

(10) **Patent No.:** **US D692,830 S**
(45) **Date of Patent:** **** *Nov. 5, 2013**

(54) **PROTECTIVE ELECTRICAL WIRING DEVICE**

(75) Inventors: **Theodore P. Junko**, Manlius, NY (US);
Phillip D. Prestigomo, Simsbury, CT (US);
Richard Weeks, Little York, NY (US)

(73) Assignee: **Pass & Seymour, Inc.**, Syracuse, NY (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/425,258**

(22) Filed: **Jun. 21, 2012**

Related U.S. Application Data

(62) Division of application No. 29/408,311, filed on Dec. 9, 2011, now Pat. No. Des. 666,973.

(51) **LOC (9) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/139.3**

(58) **Field of Classification Search**
USPC D13/137.1, 137.2, 137.3, 137.4, 138.1, D13/138.2, 139.1, 139.2, 139.3, 139.4, D13/139.5, 139.6, 139.7, 139.8, 101, 110, D13/123, 107, 108, 133, 154, 184, 199; 439/131, 166, 628, 101, 102, 105, 106, 439/108, 172, 173, 174, 175, 177, 476.1, 439/578, 583, 620.15, 620.17; 363/15, 146, 363/34; 307/151; 320/111, 114; 174/493, 174/494, 66, 67

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,135,411	A *	8/1992	Wiley et al.	439/535
D357,460	S *	4/1995	Lovett	D13/139.1
D367,643	S *	3/1996	Vardell	D13/139.7
D379,796	S *	6/1997	Bagga	D13/139.4
D390,826	S *	2/1998	Bates	D13/139.1
D609,643	S *	2/2010	Oddsens et al.	D13/139.1
D614,572	S *	4/2010	Oddsens et al.	D13/139.1
7,785,139	B1 *	8/2010	Draggie et al.	439/535
7,824,196	B1 *	11/2010	Oddsens et al.	439/106
D631,440	S *	1/2011	Lamoureux et al.	D13/139.1
D642,529	S *	8/2011	Su et al.	D13/139.8
D645,404	S *	9/2011	Chuang	D13/139.1
2007/0149061	A1 *	6/2007	Oddsens et al.	439/651

* cited by examiner

Primary Examiner — Angela J Lee

(74) *Attorney, Agent, or Firm* — Daniel P. Malley; Bond Schoeneck & King, PLLC



(57) **CLAIM**

The ornamental design for protective electrical wiring device, as shown and described.

DESCRIPTION

FIG. 1 is a plan view of the protective electrical wiring device in accordance with a first embodiment of the design; FIG. 2 is an isometric view thereof; FIG. 3 is a plan view of the protective electrical wiring device in accordance with a second embodiment of the design; and, FIG. 4 is an isometric view thereof. The broken lines shown in the drawings represent portions of the protective electrical wiring device that form no part of the claimed design.

1 Claim, 2 Drawing Sheets






Fig. 2




Fig. 1




Fig. 4




Fig. 3