

US00D692867S

(12) **United States Design Patent**
Roka

(10) **Patent No.:** **US D692,867 S**

(45) **Date of Patent:** **** Nov. 5, 2013**

(54) **REMOTE CONTROL**

(71) Applicant: **Cox Communications, Inc.**, Atlanta, GA (US)

(72) Inventor: **Pujan Roka**, Atlanta, GA (US)

(73) Assignee: **Cox Communications, Inc.**, Atlanta, GA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/441,963**

(22) Filed: **Jan. 11, 2013**

(51) **LOC (9) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/218**

(58) **Field of Classification Search**
USPC D14/218, 455; D13/168; D21/566;
D10/104, 106; 345/169; 348/14.05,
348/114, 211.99, 734; 340/825.24; 341/22;
455/92, 95, 128, 151.1-151.4, 352,
455/355, FOR. 121; 700/65
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|--------------|---------|---------------------|---------|
| D258,956 S * | 4/1981 | Chadima, Jr. | D14/346 |
| D292,404 S * | 10/1987 | Wilson et al. | D14/385 |
| D362,695 S * | 9/1995 | Waldhelm | D21/513 |
| D382,271 S * | 8/1997 | Akwivu | D14/218 |
| D416,560 S * | 11/1999 | Tonino | D14/218 |
| D465,213 S * | 11/2002 | Baumert et al. | D14/218 |
| D485,828 S * | 1/2004 | Olson et al. | D14/218 |
| D499,396 S * | 12/2004 | Lin | D14/218 |
| D545,303 S * | 6/2007 | Chang | D14/218 |
| D546,320 S * | 7/2007 | Choi | D14/218 |
| D567,802 S * | 4/2008 | Cheng | D14/218 |
| D568,299 S * | 5/2008 | Tuli | D14/218 |

(Continued)

Primary Examiner — John Windmuller

(74) *Attorney, Agent, or Firm* — Benjamin A. Balsler; Balsler & Grell IP Law, LLC



(57) **CLAIM**

The ornamental design for a remote control, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of the inside of the remote control in an open position;
 FIG. 2 is a side perspective view of the remote control in an open position;
 FIG. 3 is a side perspective view of the remote control in an open position;
 FIG. 4 is an end perspective view of the remote control in an open position;
 FIG. 5 is an end perspective view of the remote control in an open position;
 FIG. 6 is a top perspective view of the inside of the remote control in an open position;
 FIG. 7 is a top perspective view of the outside of the remote control;
 FIG. 8 is a top perspective view of the outside of the remote control in an open position;
 FIG. 9 is a top perspective view of the outside of the remote control in a closed position;
 FIG. 10 is a side perspective view of the remote control in a closed position;
 FIG. 11 is a side perspective view of the remote control in a closed position;
 FIG. 12 is an end perspective view of the remote control in a closed position;
 FIG. 13 is an end perspective view of the remote control in a closed position;
 FIG. 14 is a top perspective view of the remote control in a closed position; and,
 FIG. 15 is a bottom perspective view of the remote control in a closed position.
 The broken lines in the figures depict portions of the remote control that form no part of the claimed design.

1 Claim, 10 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D606,047 S * 12/2009 Lin D14/218
D606,520 S * 12/2009 McRae et al. D14/218
D606,982 S * 12/2009 Kaneko D14/218
D607,846 S * 1/2010 Daniels D13/168

D654,476 S * 2/2012 Weitgasser D14/218
D661,689 S * 6/2012 Weitgasser D14/218
D664,521 S * 7/2012 VanDuyn et al. D14/218
D669,885 S * 10/2012 Kim et al. D14/218
D679,266 S * 4/2013 Shin et al. D14/218
2010/0035668 A1 * 2/2010 Lee 455/575.4

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15