



US00D692874S

(12) **United States Design Patent**
Adam

(10) **Patent No.:** **US D692,874 S**
(45) **Date of Patent:** **** Nov. 5, 2013**

(54) **APPARATUS FOR CONVEYING A SIGNAL TO ONE OR MORE DEVICES**

(75) Inventor: **David Adam**, Brentwood, CA (US)

(73) Assignee: **Fanny Wang Headphone Company, LLC**, Danville, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/408,413**

(22) Filed: **Dec. 12, 2011**

(51) **LOC (9) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/256**; D14/223

(58) **Field of Classification Search**
USPC D14/205, 206, 223, 218, 256; 181/129, 181/130, 135; 379/430, 431, 420.04; 381/380, 381, 374; 455/90.3, 575.1; D13/133, 158; 250/455.11

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D244,611 S *	6/1977	Gietzen	D13/133
D270,634 S *	9/1983	Ungar	D14/205
D334,043 S *	3/1993	Taniguchi et al.	D14/218
D344,524 S *	2/1994	Taniguchi	D14/218
5,625,171 A *	4/1997	Marshall	181/130
D430,139 S *	8/2000	Peters et al.	D14/205
D430,860 S *	9/2000	Yoon	D14/142
6,122,369 A *	9/2000	Hwang et al.	379/420.04
6,405,056 B1 *	6/2002	Altschul et al.	455/558
6,438,248 B1 *	8/2002	Kamimura et al.	381/374
D463,790 S *	10/2002	Beraut et al.	D14/223
D465,477 S *	11/2002	Beraut et al.	D14/218

D467,240 S *	12/2002	Ruohonen	D14/223
D471,890 S *	3/2003	Clarkson	D14/205
6,999,586 B2 *	2/2006	Yun	379/444
D520,464 S *	5/2006	Strong et al.	D13/171
D567,185 S *	4/2008	Mayo et al.	D13/158
7,358,505 B2 *	4/2008	Woodworth et al.	250/455.11
D569,810 S *	5/2008	Victor	D13/154
D569,841 S *	5/2008	Chung et al.	D14/205
D582,354 S *	12/2008	Andre et al.	D13/158
D614,168 S *	4/2010	Rogers et al.	D14/206
D659,673 S *	5/2012	Fahrendorff et al.	D14/205

* cited by examiner

Primary Examiner — Paula Greene

(74) *Attorney, Agent, or Firm* — Stuart J. West; West & Associates, A PC



(57) **CLAIM**

The ornamental design for the apparatus for conveying a signal to one or more devices, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of an apparatus for conveying a signal to one or more devices showing my new design; FIG. 2 is a bottom perspective view thereof; FIG. 3 is a front perspective view thereof; FIG. 4 is a top view thereof; FIG. 5 is a bottom view thereof; FIG. 6 is a first end elevational view thereof; FIG. 7 is a second end elevational view thereof; FIG. 8 is a perspective view thereof; FIG. 9 is a perspective view thereof; FIG. 10 is an alternate perspective view; and, FIG. 11 is an alternate perspective view thereof. The broken lines form no part of the claimed design.

1 Claim, 7 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4



Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11