



US00D692888S

(12) **United States Design Patent**
Moore

(10) **Patent No.:** **US D692,888 S**
(45) **Date of Patent:** **** Nov. 5, 2013**

(54) **CONDUCTIVE FINGERNAIL STYLUS**
(75) Inventor: **Marsha L. Moore**, Scottsdale, AZ (US)
(73) Assignee: **iNails, LLC**, Scottsdale, AZ (US)
(**) Term: **14 Years**

2009/0066658 A1 3/2009 Earl
2009/0078478 A1 3/2009 Newman
2009/0278818 A1 11/2009 DiNozzi et al.
2009/0289893 A1 11/2009 Drangel et al.
2010/0039392 A1 2/2010 Pratt et al.
2010/0090966 A1 4/2010 Gregorio
2011/0016609 A1 1/2011 Phelps et al.
2011/0061670 A1 3/2011 Schneider et al.

(21) Appl. No.: **29/404,051**
(22) Filed: **Oct. 14, 2011**
(51) **LOC (9) Cl.** **14-02**
(52) **U.S. Cl.**
USPC **D14/411; D28/56**
(58) **Field of Classification Search**
USPC D28/56; D14/411; 345/157, 179, 156;
132/73
See application file for complete search history.

FOREIGN PATENT DOCUMENTS

JP 2001-149137 5/2001
JP 2001252129 9/2001

* cited by examiner

Primary Examiner — Jennifer Rivard
(74) *Attorney, Agent, or Firm* — Stephen C. Beuerle;
Procopio Cory Hargreaves & Savitch LLP

(56) **References Cited**

U.S. PATENT DOCUMENTS



D278,939 S * 5/1985 Hokama D28/56
5,803,094 A * 9/1998 Becker et al. 132/200
D418,494 S * 1/2000 Robb D14/411
6,249,277 B1 * 6/2001 Varveris 345/179
6,296,836 B1 10/2001 Engler
6,626,598 B2 9/2003 Schneider
6,742,237 B2 6/2004 Chang
6,794,609 B2 9/2004 Mart
D525,747 S * 7/2006 Robinson D28/56
7,222,628 B2 * 5/2007 King 132/73
D545,495 S * 6/2007 Ma et al. D28/56
D618,243 S * 6/2010 Chamblin D14/411
7,884,797 B1 2/2011 Ning
D642,176 S * 7/2011 Shi et al. D14/411
8,169,422 B2 * 5/2012 Flachsbart 345/179
8,237,660 B2 * 8/2012 Lynn 345/168
8,243,050 B2 * 8/2012 Adkiins 345/179
2005/0093835 A1 5/2005 Mortarelli
2005/0231471 A1 10/2005 Mallard et al.
2007/0051384 A1 * 3/2007 Fracassi et al. 132/73
2007/0181142 A1 8/2007 Tufts et al.
2008/0106521 A1 5/2008 Nave

(57) **CLAIM**
The ornamental design for a conductive fingernail stylus, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an embodiment of a conductive fingernail stylus;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a right side elevation view thereof;
FIG. 5 is a left side elevation view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a top plan view thereof; and,
FIG. 8 is a perspective view of the conductive fingernail stylus of FIGS. 1-7, which may be applied to an underside of an artificial nail and then the combined conductive fingernail stylus and artificial nail may be applied to a top surface of a fingernail of a user.
Any broken lines shown in FIGS. 1-8 are included for the purpose of illustrating environmental elements only and form no part of the claimed invention.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8