



US00D692888S

(12) **United States Design Patent**
Moore

(10) **Patent No.:** **US D692,888 S**

(45) **Date of Patent:** **** Nov. 5, 2013**

(54) **CONDUCTIVE FINGERNAIL STYLUS**

(75) Inventor: **Marsha L. Moore**, Scottsdale, AZ (US)

(73) Assignee: **iNails, LLC**, Scottsdale, AZ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/404,051**

(22) Filed: **Oct. 14, 2011**

(51) **LOC (9) Cl.** **14-02**

(52) **U.S. Cl.**
USPC **D14/411**; D28/56

(58) **Field of Classification Search**
USPC D28/56; D14/411; 345/157, 179, 156;
132/73

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D278,939	S *	5/1985	Hokama	D28/56
5,803,094	A *	9/1998	Becker et al.	132/200
D418,494	S *	1/2000	Robb	D14/411
6,249,277	B1 *	6/2001	Varveris	345/179
6,296,836	B1	10/2001	Engler		
6,626,598	B2	9/2003	Schneider		
6,742,237	B2	6/2004	Chang		
6,794,609	B2	9/2004	Mart		
D525,747	S *	7/2006	Robinson	D28/56
7,222,628	B2 *	5/2007	King	132/73
D545,495	S *	6/2007	Ma et al.	D28/56
D618,243	S *	6/2010	Chamblin	D14/411
7,884,797	B1	2/2011	Ning		
D642,176	S *	7/2011	Shi et al.	D14/411
8,169,422	B2 *	5/2012	Flachsbart	345/179
8,237,660	B2 *	8/2012	Lynn	345/168
8,243,050	B2 *	8/2012	Adkiins	345/179
2005/0093835	A1	5/2005	Mortarelli		
2005/0231471	A1	10/2005	Mallard et al.		
2007/0051384	A1 *	3/2007	Fracassi et al.	132/73
2007/0181142	A1	8/2007	Tufts et al.		
2008/0106521	A1	5/2008	Nave		

2009/0066658	A1	3/2009	Earl
2009/0078478	A1	3/2009	Newman
2009/0278818	A1	11/2009	DiNozzi et al.
2009/0289893	A1	11/2009	Drangel et al.
2010/0039392	A1	2/2010	Pratt et al.
2010/0090966	A1	4/2010	Gregorio
2011/0016609	A1	1/2011	Phelps et al.
2011/0061670	A1	3/2011	Schneider et al.

FOREIGN PATENT DOCUMENTS

JP	2001-149137	5/2001
JP	2001252129	9/2001

* cited by examiner

Primary Examiner — Jennifer Rivard

(74) *Attorney, Agent, or Firm* — Stephen C. Beuerle;
Procopio Cory Hargreaves & Savitch LLP



(57) **CLAIM**

The ornamental design for a conductive fingernail stylus, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an embodiment of a conductive fingernail stylus;
 FIG. 2 is a front elevation view thereof;
 FIG. 3 is a rear elevation view thereof;
 FIG. 4 is a right side elevation view thereof;
 FIG. 5 is a left side elevation view thereof;
 FIG. 6 is a bottom plan view thereof;
 FIG. 7 is a top plan view thereof; and,
 FIG. 8 is a perspective view of the conductive fingernail stylus of FIGS. 1-7, which may be applied to an underside of an artificial nail and then the combined conductive fingernail stylus and artificial nail may be applied to a top surface of a fingernail of a user.
 Any broken lines shown in FIGS. 1-8 are included for the purpose of illustrating environmental elements only and form no part of the claimed invention.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8