



US00D693045S

(12) **United States Design Patent**  
**Kirschhoffer et al.**

(10) **Patent No.:** **US D693,045 S**

(45) **Date of Patent:** **\*\* Nov. 5, 2013**

(54) **LIGHTGUIDE LIGHTING ASSEMBLY**

D358,899 S \* 5/1995 Crouch ..... D26/75  
D421,146 S \* 2/2000 Poulton ..... D26/76  
D459,014 S \* 6/2002 Chen ..... D26/85

(71) Applicant: **3M Innovative Properties Company**,  
St. Paul, MN (US)

(Continued)

(72) Inventors: **Jon A. Kirschhoffer**, Stillwater, MN  
(US); **Robert L. Brott**, Woodbury, MN  
(US); **Kayla A. Hagens**, Cottage Grove,  
MN (US); **Karl J. L. Geisler**, Saint Paul,  
MN (US); **Raymond P. Johnston**, Lake  
Elmo, MN (US); **Steven G. Lucht**, Inver  
Grove Heights, MN (US); **Phillip D.**  
**Ziolkowski**, Richmond Heights, MO  
(US); **Thomas A. Kaczowski**,  
University City, MO (US)

FOREIGN PATENT DOCUMENTS

EP 953130 11/1999  
JP 02215002 8/1990

(Continued)

OTHER PUBLICATIONS

Rambus, "Rambus Announces Pentelic™ Lighting Solutions",  
Rambus Inc., Sunnyvale, CA, Press Release, [Internet Release date  
May 17, 2011], URL <[http://www.rambus.com/us/news/press\\_re-  
lease/2011/110517.html](http://www.rambus.com/us/news/press_re-<br/>lease/2011/110517.html)>, pp. 2.

(Continued)

(73) Assignee: **3M Innovative Properties Company**,  
Saint Paul, MN (US)

*Primary Examiner* — Clare E Heflin

(\*\*) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/454,868**

The ornamental design for a lightguide lighting assembly, as  
shown and described.

(22) Filed: **May 15, 2013**

**DESCRIPTION**

(51) **LOC (9) Cl.** ..... **26-03**

(52) **U.S. Cl.**  
USPC ..... **D26/88; D26/90**

(58) **Field of Classification Search**  
USPC ..... D26/75–78, 80, 84, 86, 88, 89, 90;  
362/133, 217.01, 218, 219, 221–224,  
362/240, 404–408

See application file for complete search history.

FIG. 1 is a first perspective view of the new design for a  
lightguide lighting assembly for solid state lighting, the first  
perspective view looking down at the lightguide lighting  
assembly;

FIG. 2 is a second perspective view thereof, the second per-  
spective view looking up at the lightguide lighting assembly;  
FIG. 3 is a right view thereof, the left view being a mirror  
image of the right view shown;

FIG. 4 is a front view thereof, the rear view being a mirror  
image of the front view shown;

FIG. 5 is a top view thereof; and,

FIG. 6 is a bottom view thereof.


Broken lines are used to show a mounting structure that forms  
no part of the claimed design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D125,468 S \* 2/1941 Dreyfuss ..... D26/75  
D152,889 S \* 3/1949 Kuhler ..... D26/85  
D189,857 S \* 3/1961 Lasker ..... D26/85  
D295,329 S \* 4/1988 Roos et al. .... D26/75  
D336,352 S \* 6/1993 Dieperink et al. .... D26/76  
5,387,458 A 2/1995 Pavelka

**1 Claim, 3 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D483,510 S \* 12/2003 Fritze et al. .... D26/75  
 D512,526 S \* 12/2005 Zucker ..... D26/76  
 D547,897 S \* 7/2007 Willmorth et al. .... D26/76  
 D557,442 S \* 12/2007 Niemier ..... D26/85  
 D604,001 S \* 11/2009 Thun ..... D26/76  
 D610,736 S \* 2/2010 Klaus ..... D26/76  
 D613,897 S \* 4/2010 Thun ..... D26/88  
 D637,338 S \* 5/2011 Kong et al. .... D26/88  
 D649,677 S \* 11/2011 Wegger et al. .... D26/90  
 D650,939 S \* 12/2011 Edwards et al. .... D26/138  
 D664,282 S \* 7/2012 Santoro et al. .... D26/90  
 D669,209 S \* 10/2012 Choi et al. .... D26/90  
 2010/0157615 A1 6/2010 Gruhlke  
 2012/0001558 A1 1/2012 Vos  
 2012/0021134 A1 1/2012 Kolb  
 2012/0027945 A1 2/2012 Kolb  
 2013/0155719 A1 6/2013 Brott

FOREIGN PATENT DOCUMENTS

JP 2010-287478 12/2010  
 JP 2011-028868 2/2011  
 WO 98-33006 7/1998

WO 2009-001272 12/2008  
 WO 2010-122468 10/2010  
 WO 2011-042458 4/2011  
 WO 2011-114265 9/2011

OTHER PUBLICATIONS

Rambus, GE Lighting Shows LED Edge Lighting Fixtures Enabled by Rambus Pentelic™ Lighting Solutions at Light Fair 2011, Press Release, provided by Acquire Media, May 18, 2011, pp. 1.  
 Data Sheet, GE Lumination LED Luminaires, Suspended LED Fixture, EL Series (2012).  
 Diagram of an LED light fixture on display at the 3M Customer Innovation Center, St. Paul, Minnesota (Jan. 2, 2013).  
<http://www.rambus.com/us/lighting/index.html> <http://www.rambus.com/us/lighting/index.html>.

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5



FIG. 6