

US00D693257S

(12) **United States Design Patent**
Yang

(10) **Patent No.:** **US D693,257 S**

(45) **Date of Patent:** **** *Nov. 12, 2013**

(54) **ELECTRONIC SECURITY APPARATUS WITH TETHER**

(76) Inventor: **Xiao Hui Yang**, Los Altos, CA (US)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/408,185**

(22) Filed: **Dec. 8, 2011**

(51) **LOC (9) Cl.** **10-05**

(52) **U.S. Cl.**
USPC **D10/106.93**

(58) **Field of Classification Search**

USPC D10/106.93, 104.1, 106.1, 106.9;
340/10.1, 10.3, 568.1, 568.2, 568.4,
340/572.8, 572.9; 70/18, 30, 49, 57, 233;
24/18, 136 A

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|---------------|---------|---------------|-----------|
| 343,849 A | 6/1886 | Pond | |
| 394,739 A | 12/1888 | Toulmin | |
| 437,548 A | 9/1890 | Anderson | |
| 886,905 A | 5/1908 | Ward | |
| 1,124,130 A | 1/1915 | Grant | |
| 1,141,245 A | 6/1915 | Gillespie | |
| 1,165,320 A | 12/1915 | Clary | |
| 1,959,720 A * | 5/1934 | Koczi | 24/18 |
| 3,611,760 A | 10/1971 | Muther | |
| 4,086,795 A | 5/1978 | Foster et al. | |
| D255,553 S * | 6/1980 | Izumi | D10/106.1 |
| 4,620,182 A | 10/1986 | Keifer | |
| 4,776,188 A | 10/1988 | Dalaba | |
| 4,893,853 A | 1/1990 | Guiler | |
| 4,896,517 A | 1/1990 | Ling | |
| 4,962,369 A | 10/1990 | Close | |
| 5,156,028 A | 10/1992 | Jiang | |
| D333,996 S * | 3/1993 | Matt et al. | D10/106.1 |

| | | | |
|---------------|---------|-----------------|-----------|
| 5,337,459 A | 8/1994 | Hogan | |
| 5,565,848 A | 10/1996 | Leyden | |
| 5,574,430 A * | 11/1996 | Ott et al. | 340/568.2 |
| 5,598,727 A | 2/1997 | White | |
| 5,610,587 A | 3/1997 | Fujiuchi et al. | |
| 5,722,266 A | 3/1998 | Yeager et al. | |

(Continued)

Primary Examiner — Derrick Holland

Assistant Examiner — Lauren Calve

(74) *Attorney, Agent, or Firm* — Robert R. Waters; Brian W. Foxworthy; J. Michael Wells

(57) **CLAIM**

The ornamental design for an electronic security apparatus with tether, as shown and described.

DESCRIPTION

FIG. 1 is a top view of my new design for an electronic security apparatus with tether.

FIG. 2 is a bottom view of my new design for an electronic security apparatus with tether.

FIG. 3 is a front side view of my new design for an electronic security apparatus with tether.

FIG. 4 is a back side view of my new design for an electronic security apparatus with tether.

FIG. 5 is a left side view of my new design for an electronic security apparatus with tether.



FIG. 6 is a right side view of my new design for an electronic security apparatus with tether.

FIG. 7 is a top perspective view of my new design for an electronic security apparatus with tether partially installed.

FIG. 8 is a top perspective view of my new design for an electronic security apparatus with tether after installment; and,

FIG. 9 is a second top perspective view of my new design for an electronic security apparatus with tether after installment. The broken line showing of an electronic security apparatus and the box shown in FIGS. 7-9 represent unclaimed subject matter and form no part of the claimed design.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

| | | | | | | | | |
|-----------|----|---------|-----------------|--------------|-----|---------|-----------------------------|--|
| 5,764,147 | A | 6/1998 | Sasagawa | 7,522,048 | B2 | 4/2009 | Belden, Jr. | |
| 5,767,773 | A | 6/1998 | Fujiuchi | D599,693 | S | 9/2009 | Sayegh et al. | |
| 5,786,759 | A | 7/1998 | Ling | 7,659,817 | B2 | 2/2010 | Conti et al. | |
| 5,794,464 | A | 8/1998 | Yeager et al. | 7,685,850 | B2 | 3/2010 | Nilsson | |
| 5,856,782 | A | 1/1999 | Sasagawa | 7,808,382 | B2 | 10/2010 | Bonato | |
| 5,959,532 | A | 9/1999 | Fujiuchi | D628,923 | S | 12/2010 | Sayegh | |
| 5,960,652 | A | 10/1999 | Marmstad | D628,924 | S | 12/2010 | Sayegh | |
| 6,020,819 | A | 2/2000 | Fujiuchi | 7,918,112 | B2 | 4/2011 | Fawcett et al. | |
| 6,092,401 | A | 7/2000 | Sankey | 7,984,629 | B2 | 7/2011 | Xiaobin | |
| 6,140,923 | A | 10/2000 | Lam | 7,992,259 | B2 | 8/2011 | Goldstein et al. | |
| 6,177,869 | B1 | 1/2001 | McDaid | 7,994,914 | B2 | 8/2011 | Irmscher et al. | |
| 6,237,375 | B1 | 5/2001 | Wymer | 8,013,740 | B2 | 9/2011 | Irmscher et al. | |
| 6,420,971 | B1 | 7/2002 | Leck | 8,044,806 | B2 | 10/2011 | Sayegh | |
| 6,550,293 | B1 | 4/2003 | Delegato et al. | 2006/0220848 | A1 | 10/2006 | Tropper | |
| 6,624,753 | B2 | 9/2003 | Elston | 2008/0236209 | A1 | 10/2008 | Conti et al. | |
| 6,731,212 | B2 | 5/2004 | Hirose | 2009/0212920 | A1 | 8/2009 | Yang | |
| 6,755,055 | B2 | 6/2004 | Sedon | 2009/0289798 | A1 | 11/2009 | Yang | |
| 7,162,899 | B2 | 1/2007 | Fawcett et al. | 2009/0303046 | A1 | 12/2009 | Eckert et al. | |
| 7,168,275 | B2 | 1/2007 | Fawcett et al. | 2010/0134295 | A1 | 6/2010 | Lax et al. | |
| 7,227,467 | B2 | 6/2007 | Feibelman | 2010/0171621 | A1 | 7/2010 | Yang | |
| 7,239,238 | B2 | 7/2007 | Tester | 2010/0188227 | A1 | 7/2010 | Yang | |
| 7,251,966 | B2 | 8/2007 | Fawcett et al. | 2010/0214102 | A1 | 8/2010 | Yang | |
| 7,350,381 | B2 | 4/2008 | Fawcett et al. | 2010/0231388 | A1* | 9/2010 | Shute et al. 340/568.4 | |
| 7,403,118 | B2 | 7/2008 | Belden, Jr. | 2010/0315237 | A1 | 12/2010 | Yang | |
| 7,474,209 | B2 | 1/2009 | Marsilio | 2010/0315239 | A1 | 12/2010 | Yang | |
| 7,481,086 | B2 | 1/2009 | Fawcett et al. | 2011/0102179 | A1 | 5/2011 | Ezzo et al. | |
| 7,497,101 | B2 | 3/2009 | Fawcett et al. | 2011/0115632 | A1 | 5/2011 | Yang | |
| | | | | 2011/0121973 | A1 | 5/2011 | Yang | |
| | | | | 2011/0227706 | A1 | 9/2011 | Yang | |
| | | | | 2011/0260594 | A1 | 10/2011 | Yang | |

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9