



US00D693280S

(12) **United States Design Patent**
Shinagawa

(10) **Patent No.:** **US D693,280 S**

(45) **Date of Patent:** **** Nov. 12, 2013**

(54) **BRAKE DISC FOR A MOTORCYCLE**

(75) Inventor: **Yoshinori Shinagawa**, Takatsuki (JP)

(73) Assignee: **Sunstar Engineering Inc.**, Takatsuki-shi (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/430,580**

(22) Filed: **Aug. 28, 2012**

(30) **Foreign Application Priority Data**

Feb. 28, 2012 (JP) 2012-041019

Aug. 3, 2012 (JP) 2012-172670

Aug. 3, 2012 (JP) D2012-018619

(51) **LOC (9) Cl.** **12-16**

(52) **U.S. Cl.**
USPC **D12/180**

(58) **Field of Classification Search**
USPC D12/179, 180, 110; 188/73.1, 73.2,
188/71.1, 26, 344, 218 XL, 264 A,
188/24.11-24.13, 264 AA, 250 E, 250 B,
188/73.43, 73.45; 192/70.16; 180/219, 220
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D581,329 S *	11/2008	Ohigashi et al.	D12/180
8,353,391 B2 *	1/2013	Fujita et al.	188/218 XL
2005/0161296 A1 *	7/2005	Okabe	188/218 XL
2006/0272906 A1 *	12/2006	Gonska	188/218 XL
2007/0102247 A1 *	5/2007	Takenaka et al.	188/26
2008/0185945 A1 *	8/2008	Low	312/257.1
2008/0302616 A1 *	12/2008	Kao	188/218 XL
2010/0051398 A1 *	3/2010	Spacek	188/218 XL
2010/0101902 A1 *	4/2010	Kano et al.	188/218 XL
2010/0282551 A1 *	11/2010	Ruopp et al.	188/218 XL

OTHER PUBLICATIONS

Brake Rotor on p. 2 of 5. [Retrieved on Mar. 25, 2013,]. Retrieved from the internet: http://www.motorcyclepowersportsnews.com/item/84988/stopping_power.aspx.*

Custom Chrome® 2005 catalog, brake rotor on pp. 13.70 and 13.73 .Brake Rotor on p. 2 of 5. [Retrieved on Mar. 25, 2013,]. Retrieved from the internet: http://www.motorcyclepowersportsnews.com/item/84988/stopping_power.aspx.*

* cited by examiner

Primary Examiner — Susan M Lee

Assistant Examiner — Linda Brooks

(74) *Attorney, Agent, or Firm* — Kratz, Quintos & Hanson, LLP

(57) **CLAIM**

The ornamental design for a brake disc for a motorcycle, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the front side of the brake disc of the present invention;

FIG. 2 is a perspective view of the back side thereof;

FIG. 3 is a front view thereof;

FIG. 4 is a back view thereof;

FIG. 5 is a right side view thereof;

FIG. 6 is a left side view thereof;

FIG. 7 is a plan view thereof;

FIG. 8 is a bottom view thereof;

FIG. 9 is a cross-sectional view taken along lines 9-9 of FIG. 3;

FIG. 10 is an enlarged view of the portion of FIG. 9 taken along lines 10-10 thereof;

FIG. 11 is an enlarged perspective view of the sold line portion of FIG. 1; and,

FIG. 12 is an enlarged perspective view of the sold line portion of FIG. 2.

The broken lines shown in the drawings are included for the purpose of illustrating environmental structure and form no part of the claimed design.

1 Claim, 12 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6



FIG. 7




FIG. 8




FIG.9




FIG.10




FIG. 11




FIG. 12

