



US00D693320S

(12) **United States Design Patent**
Zelazowski

(10) **Patent No.:** **US D693,320 S**
(45) **Date of Patent:** **** Nov. 12, 2013**

- (54) **GROOVED MAGNET**
- (71) Applicant: **Chemistrie Properties, Inc.**, Pittsburgh, PA (US)
- (72) Inventor: **Dennis G. Zelazowski**, Pittsburgh, PA (US)
- (73) Assignee: **Chemistrie Properties, Inc.**, Pittsburgh, PA (US)

6,139,141	A *	10/2000	Zider	351/57
6,293,671	B1	9/2001	Masanuga		
D454,591	S	3/2002	Vidmar		
6,464,352	B1	10/2002	Xie		
6,478,420	B2	11/2002	Xiang		
6,502,939	B2	1/2003	Vignato		
6,533,411	B1	3/2003	Chen et al.		
6,550,913	B2	4/2003	Zelman		
6,655,799	B1	12/2003	Chen		
6,755,522	B1	6/2004	Strenk		
6,883,912	B1	4/2005	Madison		

(Continued)

- (**) Term: **14 Years**
- (21) Appl. No.: **29/453,851**
- (22) Filed: **May 3, 2013**

Related U.S. Application Data

- (60) Division of application No. 29/342,717, filed on Aug. 31, 2009, now Pat. No. Des. 684,942, which is a continuation of application No. 11/458,239, filed on Jul. 18, 2006, now Pat. No. 7,600,870.

- (51) **LOC (9) Cl.** **13-99**
- (52) **U.S. Cl.**
USPC **D13/183**

- (58) **Field of Classification Search**
USPC D13/183, 199; D19/90, 65, 100;
351/57, 47
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,239,178	A	3/1966	Pompa
D337,411	S	7/1993	Smith
5,416,537	A	5/1995	Sadler
D409,663	S	5/1999	Wagner et al.
D410,032	S	5/1999	Wagner et al.
5,936,700	A	8/1999	Masanuga
D414,207	S	9/1999	Wagner et al.

FOREIGN PATENT DOCUMENTS

CA 2490955 8/2005

Primary Examiner — T. Chase Nelson

Assistant Examiner — Ania Aman

(74) *Attorney, Agent, or Firm* — Cohen & Grigsby, P.C.

(57) **CLAIM**

The ornamental design for a grooved magnet, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the grooved magnet embodying my new design as claimed herein.

FIG. 2 is a side view of the grooved magnet shown in FIG. 1.

FIG. 3 is a top view of the grooved magnet shown in FIG. 1.

FIG. 4 is a bottom view of the grooved magnet shown in FIG. 1.


FIG. 5 is a perspective view of an alternate embodiment of the grooved magnet shown in FIG. 1.

FIG. 6 is a side view of the grooved magnet shown in FIG. 5,

FIG. 7 is a top view of the grooved magnet shown in FIG. 5; and,

FIG. 8 is a bottom view of the grooved magnet shown in FIG. 5.

1 Claim, 2 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

6,957,507	B2	10/2005	Ausland et al.	2002/0047984	A1	4/2002	Tang
D520,041	S	5/2006	Wheat	2002/0080325	A1	6/2002	Xiang
D535,699	S	1/2007	Krapf	2002/0089639	A1	7/2002	Starner et al.
D594,735	S	6/2009	Hofer	2002/0131012	A1	9/2002	Tsai
8,292,427	B2 *	10/2012	Zelazowski 351/138	2003/0197830	A1	10/2003	Taniguchi
2001/0055091	A1	12/2001	Vignato	2004/0114096	A1	6/2004	Strenk
				2005/0001976	A1	1/2005	Yinkai et al.
				2005/0206836	A1	9/2005	Shapiro

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8