

US00D693321S

(12) **United States Design Patent**  
**Zelazowski**

(10) **Patent No.:** **US D693,321 S**  
(45) **Date of Patent:** **\*\* Nov. 12, 2013**

- (54) **GROOVED MAGNET**
- (71) Applicant: **Chemistrie Properties, Inc.**, Pittsburgh, PA (US)
- (72) Inventor: **Dennis G. Zelazowski**, Pittsburgh, PA (US)
- (73) Assignee: **Chemistrie Properties, Inc.**, Pittsburgh, PA (US)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/453,859**
- (22) Filed: **May 3, 2013**

- 6,293,671 B1 9/2001 Masanuga
- D454,591 S 3/2002 Vidmar
- 6,464,352 B1 10/2002 Xie
- 6,478,420 B2 11/2002 Xiang
- 6,502,939 B2 1/2003 Vignato
- 6,533,411 B1 3/2003 Chen et al.

(Continued)

**FOREIGN PATENT DOCUMENTS**

- CA 2490955 6/2005
- Primary Examiner* — T. Chase Nelson
- Assistant Examiner* — Ania Aman
- (74) *Attorney, Agent, or Firm* — Cohen & Grigsby, P.C.

**Related U.S. Application Data**

- (60) Division of application No. 29/342,717, filed on Aug. 31, 2009, now Pat. No. Des. 684,942, which is a continuation of application No. 11/458,239, filed on Jul. 18, 2006, now Pat. No. 7,600,870.
  - (51) **LOC (9) Cl.** ..... **13-99**
  - (52) **U.S. Cl.**  
USPC ..... **D13/183**
  - (58) **Field of Classification Search**  
USPC ..... D13/183, 199; D19/90, 65, 100;  
351/57, 47
- See application file for complete search history.

(57) **CLAIM**

The ornamental design for a grooved magnet, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of the grooved magnet embodying my new design as claimed herein.

FIG. 2 is an angular side view of the grooved magnet shown in FIG. 1.

FIG. 3 is a top view of the grooved magnet shown in FIG. 1.

FIG. 4 is a bottom view of the grooved magnet shown in FIG. 1.

FIG. 5 is a planar side view of the grooved magnet shown in FIG. 1.

FIG. 6 is a perspective view of an alternate embodiment of the grooved magnet shown in FIG. 1.

FIG. 7 is an angular side view of the grooved magnet shown in FIG. 6.

FIG. 8 is a top view of the grooved magnet shown in FIG. 6.

FIG. 9 is a bottom view of the grooved magnet shown in FIG. 6; and,


FIG. 10 is a planar side view of the grooved magnet shown in FIG. 6.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- 3,239,178 A 3/1966 Pompa
- D337,411 S 7/1993 Smith
- 5,416,537 A 5/1995 Sadler
- D409,663 S 5/1999 Wagner et al.
- D410,032 S 5/1999 Wagner et al.
- 5,936,700 A 8/1999 Masanuga
- D414,207 S 9/1999 Wagner et al.
- 6,139,141 A \* 10/2000 Zider ..... 351/57

**1 Claim, 2 Drawing Sheets**



(56)


**References Cited**

U.S. PATENT DOCUMENTS

6,550,913 B2 4/2003 Zelman  
6,655,799 B1 12/2003 Chen  
6,755,522 B1 6/2004 Strenk  
6,883,912 B1 4/2005 Madison  
6,957,507 B2 10/2005 Ausland et al.  
D520,041 S 5/2006 Wheat  
D535,699 S 1/2007 Krapf  
D594,735 S 6/2009 Hofer

8,292,427 B2\* 10/2012 Zelazowski ..... 351/138  
2001/0055091 A1 12/2001 Vignato  
2002/0047984 A1 4/2002 Tang  
2002/0080325 A1 6/2002 Xiang  
2002/0089639 A1 7/2002 Starner et al.  
2002/0131012 A1 9/2002 Tsai  
2003/0197830 A1 10/2003 Taniguchi  
2004/0114096 A1 6/2004 Strenk  
2005/0001976 A1 1/2005 Yinkai et al.  
2005/0206836 A1 9/2005 Shapiro


\* cited by examiner




**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 4**




**FIG. 5**




**FIG. 6**




**FIG. 7**



**FIG. 8**



**FIG. 9**



**FIG. 10**