



US00D693379S

(12) **United States Design Patent**
Brenneis et al.

(10) **Patent No.:** **US D693,379 S**

(45) **Date of Patent:** **** Nov. 12, 2013**

(54) **REFRIGERATED COOLER**

(71) Applicant: **Red Bull GmbH**, Fuschl am See (AT)

(72) Inventors: **Juergen Brenneis**, Pinsdorf (AT); **Mario Groth**, Fuschl am See (AT); **David Kehoe**, Salzburg (AT); **Matthias Rinderer**, Fuschl am See (AT)

(73) Assignee: **Red Bull GmbH**, Fuschl am See (AT)

(**) Term: **14 Years**

(21) Appl. No.: **29/440,199**

(22) Filed: **Dec. 19, 2012**

(30) **Foreign Application Priority Data**

Jun. 20, 2012 (EP) 002060913-0001
Jun. 20, 2012 (EP) 002060913-0002
Jun. 20, 2012 (EP) 002060913-0003
Jun. 20, 2012 (EP) 002060913-0004

(51) **LOC (9) Cl.** **15-07**

(52) **U.S. Cl.**
USPC **D15/81**

(58) **Field of Classification Search**
USPC D15/79-88; 62/3.6, 3.63, 3.64,
62/440-445, 467, 377, 246-255, 275, 331,
62/337, 344; 312/112-119, 236, 400-408,
312/138.1, 139.1, 329; D6/470, 481, 472,
D6/479

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D198,000 S * 4/1964 Fogel et al. D15/88
D244,019 S * 4/1977 Brown D15/88
D271,107 S * 10/1983 Trulaske D15/85
D402,138 S * 12/1998 Trulaske, Sr. D6/470
D421,534 S * 3/2000 Trulaske et al. D6/472
D449,844 S * 10/2001 Kim D15/81
D481,740 S * 11/2003 Li et al. D15/81

D513,014 S * 12/2005 Seki D15/81
D514,137 S * 1/2006 Seki D15/81
D515,595 S * 2/2006 Jorgensen D15/81
D515,596 S * 2/2006 Jorgensen D15/81
D524,830 S * 7/2006 Lei et al. D15/81
D541,315 S * 4/2007 Trulaske, Sr. D15/88

(Continued)

Primary Examiner — Mitchell Siegel

(74) *Attorney, Agent, or Firm* — Tech Mark a Law Corp.;
Martin R. Greenstein

(57) **CLAIM**

The ornamental design for refrigerated cooler, as shown and described.

DESCRIPTION

FIG. 1 is the front view of the refrigerated cooler according to a first embodiment of the present invention;

FIG. 2 is a back view of the refrigerated cooler as shown in FIG. 1;

FIG. 3 is a top view of the refrigerated cooler as shown in FIG. 1;

FIG. 4 is a right side view of the refrigerated cooler as shown in FIG. 1;

FIG. 5 is a left side view of the refrigerated cooler as shown in FIG. 1;

FIG. 6 is a front left side perspective view of the refrigerated cooler as shown in FIG. 1;

FIG. 7 is front view of the refrigerated cooler according to a second embodiment of the present invention;

FIG. 8 is back view of the refrigerated cooler as shown in FIG. 7;


FIG. 9 is a top view of the refrigerated cooler as shown in FIG. 7;

FIG. 10 is a right side view of the refrigerated cooler as shown in FIG. 7;

FIG. 11 is a left side view of the refrigerated cooler as shown in FIG. 7; and,

FIG. 12 a front left side perspective view of the refrigerated cooler as shown in FIG. 7.

1 Claim, 12 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D550,256 S *	9/2007	Lei et al.	D15/81	D662,114 S *	6/2012	Deproost	D15/81
D589,536 S *	3/2009	Seki	D15/81	D671,574 S *	11/2012	Jafa et al.	D15/91
D630,230 S *	1/2011	Yang	D15/81	D671,576 S *	11/2012	Jafa et al.	D15/91
D646,307 S *	10/2011	Schaffer et al.	D15/81	D681,692 S *	5/2013	Meda et al.	D15/81
				2010/0018233 A1 *	1/2010	Jafa et al.	62/249

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9



FIG. 10




FIG. 11



FIG. 12