



US00D693710S

(12) **United States Design Patent**
Bachel et al.

(10) **Patent No.:** **US D693,710 S**

(45) **Date of Patent:** **** Nov. 19, 2013**

(54) **MOTION DETECTOR**

(71) Applicants: **Thomas Bachel**, Benzenschwil (CH);
Matthias Droll, Männedorf (CH); **Peter Gruber**, Stäfa (CH)

(72) Inventors: **Thomas Bachel**, Benzenschwil (CH);
Matthias Droll, Männedorf (CH); **Peter Gruber**, Stäfa (CH)

(73) Assignee: **Siemens AB**, Solna (SE)

(**) Term: **14 Years**

(21) Appl. No.: **29/441,551**

(22) Filed: **Jan. 7, 2013**

(30) **Foreign Application Priority Data**

Jul. 6, 2012 (EP) 002069799

(51) **LOC (9) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/70; D10/106.6**

(58) **Field of Classification Search**
USPC D10/65, 70, 75, 78, 97, 106.1–106.8;
D14/138 R, 138 AA, 138 AB, 138 AC,
D14/138 AD, 341–347, 507–510, 136, 167,
D14/168, 496, 498, 499, 500, 125–134, 239,
D14/371, 374–377, 440, 450, 448, 336,
D14/342; 343/702; 345/87, 104, 133, 156,
345/168, 173, 901–905, 165; 348/180, 184,
348/315, 739, 836, 838, 325; 364/444, 499;
701/408–418, 431, 432, 537; 312/7.2;
341/12; 720/605, 669, 600, 655;
369/99, 197; 455/344, 347, 575.1;
250/221, 338.3, 340, 239, 342, 341,
250/DIG. 1, 353; 307/116, 117; 340/521,
340/527, 541, 567, 540, 568.2, 539.23, 635,

340/687; 315/159; 324/72.5, 556, 133, 149,
324/503, 543, 555, 66, 72, 754, 115, 141,
324/522; 73/615, 624, 627, 644, 514.33,
73/514.34, 510, 513, 527, 530;
356/3.01–5.15; 235/105; 377/5, 24.2,
377/26; 702/155, 160, 176, 78, 79, 82,
702/91–95, 104, 116, 141, 150, 151, 154,
702/127, 131, 182, 183, 189; 600/437, 443,
600/453, 459, 465, 479, 500, 502, 595, 485,
600/481, 483

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D574,270 S * 8/2008 Bell D10/70
D589,826 S * 4/2009 Kiesel D10/70

* cited by examiner

Primary Examiner — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Staas & Halsey LLP

(57) **CLAIM**

The ornamental design for a motion detector, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the motion detector
FIG. 2 is a back view of the motion detector;
FIG. 3 is a top view of the motion detector;
FIG. 4 is a bottom view of the motion detector;
FIG. 5 is a right side view of the motion detector;
FIG. 6 is a left side view of the motion detector; and,
FIG. 7 is a perspective view of the front, bottom and right side
of the motion detector.

1 Claim, 7 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

