



US00D693777S

(12) **United States Design Patent**  
**Sakai et al.**

(10) **Patent No.:** **US D693,777 S**

(45) **Date of Patent:** **\*\* \*Nov. 19, 2013**

(54) **REMOTE CONTROLLER**

(75) Inventors: **Yuki Sakai**, Chiyoda-ku (JP); **Azumi Shimada**, Chiyoda-ku (JP)

(73) Assignee: **Mitsubishi Electric Corporation**, Tokyo (JP)

(\*) Notice: This patent is subject to a terminal disclaimer.

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/419,022**

(22) Filed: **Apr. 24, 2012**

(30) **Foreign Application Priority Data**

Nov. 24, 2011 (JP) ..... 2011-027074

(51) **LOC (9) Cl.** ..... **14-03**

(52) **U.S. Cl.**  
USPC ..... **D13/168**

(58) **Field of Classification Search**  
USPC ..... D13/168; D10/49, 50, 104.1, 106.1;  
D14/203.7, 341, 496; 165/238;  
315/158, 295; 340/4.3, 4.42, 12.22,  
340/12.23, 12.24, 12.29, 12.3, 13.2, 13.21,  
340/13.24; 341/176; 236/49.3, 46 R, 51, 1 C,  
236/94; 348/734; 455/352; 700/17, 65, 83,  
700/86, 276, 277

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,768,230 A \* 8/1988 Viebrantz et al. .... 398/106  
4,980,522 A \* 12/1990 Murakami et al. .... 200/5 A  
D351,141 S \* 10/1994 Van Akkeren et al. .... D13/168  
D374,693 S \* 10/1996 Osborne ..... D21/513  
D409,200 S \* 5/1999 Cooper ..... D14/218

D450,305 S \* 11/2001 Masuzoe et al. .... D13/168  
D493,148 S \* 7/2004 Shibata et al. .... D13/168  
D503,686 S \* 4/2005 Knox et al. .... D13/162  
D606,129 S \* 12/2009 Ben-Moshe ..... D21/517  
D623,606 S \* 9/2010 Nakai et al. .... D13/168  
D639,751 S \* 6/2011 Tucker et al. .... D13/168  
D642,544 S \* 8/2011 Kataoka et al. .... D13/168  
D660,809 S \* 5/2012 Kern Koskela et al. .... D13/168  
D661,662 S \* 6/2012 Kikuchi et al. .... D13/168

\* cited by examiner

*Primary Examiner* — Selina Sikder

(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC

(57) **CLAIM**

The ornamental design for a remote controller, as shown and described.

**DESCRIPTION**

FIG. 1 is a front, top and right side perspective view of a remote controller, showing my new design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a left side elevational view thereof;  
FIG. 5 is a right side elevational view thereof;  
FIG. 6 is a top plan view thereof;  
FIG. 7 is a bottom plan view thereof;  
FIG. 8 is a reference vertical cross-sectional view thereof; taken in the direction of line 8-8 in FIG. 2, with the internal system omitted;  
FIG. 9 is a reference horizontal cross-sectional view thereof; taken in the direction of line 9-9 in FIG. 2, with the internal system omitted;  
FIG. 10 is a reference front elevational view thereof; and,  
FIG. 11 is a reference cross-sectional view thereof; taken in the direction of line 11-11 in FIG. 10, with the internal system omitted.  
The broken lines in all views are shown for illustrative purposes only and form no part of the claimed design.

**1 Claim, 9 Drawing Sheets**




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7





Fig. 8




Fig. 9






Fig. 10




Fig. 11

