

US00D693855S

(12) **United States Design Patent**  
**Halter**

(10) **Patent No.:** **US D693,855 S**  
(45) **Date of Patent:** **\*\* Nov. 19, 2013**

- (54) **CONDITIONING FINGER OF A MOWER-CONDITIONER**
- (71) Applicant: **Kuhn S.A.**, Saverne (FR)
- (72) Inventor: **Cedric Halter**, Wasselonne (FR)
- (73) Assignee: **Kuhn S.A.**, Saverne (FR)
- (\*\*) Term: **14 Years**
- (21) Appl. No.: **29/441,630**
- (22) Filed: **Jan. 8, 2013**

D246,716	S	*	12/1977	VAN DER Lely	.....	D15/29
4,528,806	A	*	7/1985	Klinner	.....	56/16.4 R
D338,897	S	*	8/1993	Buschbom	.....	D15/28
5,232,404	A	*	8/1993	Felstehausen	.....	460/48
D340,247	S	*	10/1993	Linde et al.	.....	D15/29
D371,797	S	*	7/1996	Bruns	.....	D15/28
D384,680	S	*	10/1997	Franet	.....	D15/28
D398,015	S	*	9/1998	Franet	.....	D15/28
5,966,913	A	*	10/1999	Neuerburg	.....	56/16.4 R
6,453,654	B1	*	9/2002	Kraus et al.	.....	56/16.4 R
D494,194	S	*	8/2004	Fitzkee et al.	.....	D15/28
D503,938	S	*	4/2005	Vasilescu	.....	D15/29
D505,431	S	*	5/2005	Sund	.....	D15/29
6,996,965	B2	*	2/2006	Ligouy	.....	56/400

\* cited by examiner

(30) **Foreign Application Priority Data**

Jul. 9, 2012 (FR) ..... 2012-3175

(51) **LOC (9) Cl.** ..... **15-03**

(52) **U.S. Cl.**  
USPC ..... **D15/28; D15/17**

(58) **Field of Classification Search**  
USPC ..... D15/17, 27, 28, 29, 32; 56/10.26, 14.6,  
56/400, 16.4 R, 16.4 A; 37/420; 198/613,  
198/693  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D191,375	S	*	9/1961	Buschbom	.....	D15/28
D191,376	S	*	9/1961	Buschbom	.....	D15/28
D244,191	S	*	5/1977	Diehl	.....	D15/28
D246,457	S	*	11/1977	VAN DER Lely	.....	D15/29

*Primary Examiner* — Mark Goodwin

(74) *Attorney, Agent, or Firm* — Oblon, Spivak, McClelland, Maier & Neustadt, L.L.P.

(57) **CLAIM**

The ornamental design for a conditioning finger of a mower-conditioner, as shown and described.

**DESCRIPTION**

FIG. 1 is a right side view of a conditioning finger of a mower-conditioner showing our new design, the left side view being a mirror image thereof.


FIG. 2 is a rear view thereof;

FIG. 3 is a top, rear and right side perspective view thereof;

FIG. 4 is a top, front and right side perspective view thereof; and,

FIG. 5 is a bottom, right side perspective view thereof.

**1 Claim, 5 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5