



US00D693864S

(12) **United States Design Patent**  
**Cooper et al.**

(10) **Patent No.:** **US D693,864 S**

(45) **Date of Patent:** **\*\* Nov. 19, 2013**

(54) **MOBILE PIPE WELDING DEVICE**

(71) Applicants: **Roger George William Cooper**,  
Birmingham (GB); **Dominick Doyle**,  
Birmingham (GB); **Michael Berkley**  
**Penny**, Chippenham (GB)

(72) Inventors: **Roger George William Cooper**,  
Birmingham (GB); **Dominick Doyle**,  
Birmingham (GB); **Michael Berkley**  
**Penny**, Chippenham (GB)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/442,495**

(22) Filed: **Mar. 15, 2013**

(51) **LOC (9) Cl.** ..... **15-09**

(52) **U.S. Cl.**  
USPC ..... **D15/144**

(58) **Field of Classification Search**  
USPC ..... D8/29.1, 30, 72; D15/144, 144.1,  
D15/144.2; 156/293, 583.8; 219/125.1, 130,  
219/130.5, 132, 133, 241, 424, 606;  
222/146.5, 152, 156, 189.06, 397;  
228/8, 20, 51, 111.5; 285/288.1

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

7,094,298 B2 *	8/2006	Schwetz	.....	156/71
D615,840 S *	5/2010	Copper et al.	.....	D8/72
D621,430 S *	8/2010	Christen et al.	.....	D15/144
D642,604 S *	8/2011	Rohrer et al.	.....	D15/144

\* cited by examiner

*Primary Examiner* — Patricia Palasik

(57) **CLAIM**



The ornamental design for a mobile pipe welding device, as shown and described.


**DESCRIPTION**

FIG. 1 is a top isometric projection view of a mobile pipe welding device showing our new design; FIG. 2 is an underneath isometric projection view thereof; FIG. 3 is a front elevation view thereof; FIG. 4 is a right side elevation view thereof; FIG. 5 is a top elevation view thereof; FIG. 6 is an underneath elevation view thereof; FIG. 7 is a left side elevation view thereof; and, FIG. 8 is a rear elevation view thereof.

The nature of the design is a device through which a combined drive and idle wheel engages on the edges of a circumferential metal guide band attached to a pipe of any diameter which is positioned to be butt welded to another pipe of identical diameter. In use the embodiment of the ornamental design traverses around the edge of the aforesaid circumferential metal guide band in order to butt weld the adjacent ends of the two pipes.

**1 Claim, 8 Drawing Sheets**





**FIG 1**







FIG 2




**FIG 3**




*FIG 4*



**FIG 5**




**FIG 6**



**FIG 7**





**FIG 8**