



US00D693974S

(12) **United States Design Patent**
Geyer et al.

(10) **Patent No.:** **US D693,974 S**

(45) **Date of Patent:** **** Nov. 19, 2013**

(54) **CONTROL PANEL OF WASHING AND/OR DRYING MACHINE**

(71) Applicant: **BSH Bosch und Siemens Hausgeräte GmbH, Munich (DE)**

(72) Inventors: **Johannes Geyer, Haar (DE); Florian Metz, Unterföhring (DE); Roger Münstermann, München (DE); Carsten Weber, Aalen (DE)**

(73) Assignee: **BSH Bosch und Siemens Hausgerate GmbH, Munich (DE)**

(**) Term: **14 Years**

(21) Appl. No.: **29/452,020**

(22) Filed: **Apr. 11, 2013**

Related U.S. Application Data

(62) Division of application No. 29/414,613, filed on Mar. 1, 2012, now Pat. No. Des. 684,740.

(30) **Foreign Application Priority Data**

Sep. 2, 2011 (EM) 001293807

(51) **LOC (9) Cl.** **15-05**

(52) **U.S. Cl.**
USPC **D32/28**

(58) **Field of Classification Search**
USPC D32/1, 5-10, 25, 28; 68/3 R, 5 R, 12.01;
34/87-88, 523-524

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D559,479 S * 1/2008 Kwon et al. D32/6
D559,480 S * 1/2008 Kwon et al. D32/6

(Continued)

Primary Examiner — T. Chase Nelson
Assistant Examiner — Kathleen M Sims
(74) *Attorney, Agent, or Firm* — Nixon & Vanderhye, PC

(57) **CLAIM**

The ornamental design for a control panel of washing and/or drying machine, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view, from the top, of a control panel of washing and/or drying machine according to a first embodiment showing our new ornamental design;

FIG. 2 is a front view thereof;

FIG. 3 is a rear view thereof;

FIG. 4 is a top view thereof;

FIG. 5 is a bottom view thereof;

FIG. 6 is a left side view thereof;

FIG. 7 is a right hand side view thereof;

FIG. 8 is a front perspective view, from the top, of a control panel of washing and/or drying machine according to a second embodiment showing our new ornamental design;

FIG. 9 is a front view thereof;

FIG. 10 is a rear view thereof;

FIG. 11 is a top view thereof;

FIG. 12 is a bottom view thereof;

FIG. 13 is a left side view thereof;

FIG. 14 is a right hand side view thereof;

FIG. 15 is a front perspective view, from the top, of a control panel of washing and/or drying machine according to a third embodiment showing our new ornamental design;

FIG. 16 is a front view thereof;

FIG. 17 is a rear view thereof;

FIG. 18 is a top view thereof;


FIG. 19 is a bottom view thereof;

FIG. 20 is a left side view thereof; and,

FIG. 21 is a right hand side view thereof.

The use of stippling in various figures, e.g., FIGS. 1 and 2, indicates a contrast in materials.

1 Claim, 12 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D563,062 S *	2/2008	Eicher et al.	D32/6	D613,010 S *	3/2010	Eicher et al.	D32/28
D565,809 S *	4/2008	Eicher et al.	D32/6	D618,865 S *	6/2010	Cline et al.	D32/6
D571,064 S *	6/2008	Eicher et al.	D32/28	D631,623 S *	1/2011	Chung et al.	D32/6
D577,870 S *	9/2008	Kim et al.	D32/6	D633,262 S *	2/2011	Jeon et al.	D32/6
D582,106 S *	12/2008	Kim et al.	D32/6	D635,727 S *	4/2011	Jeon et al.	D32/6
D599,508 S *	9/2009	Choi et al.	D32/6	D640,020 S *	6/2011	Helot et al.	D32/5
D606,715 S *	12/2009	Matsusaki	D32/5	D655,543 S *	3/2012	Beck	D6/518
				2007/0209403 A1 *	9/2007	Byun et al.	68/3 R
				2009/0282874 A1 *	11/2009	Lee et al.	68/12.12

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20




Fig. 21