

US00D694138S

(12) **United States Design Patent**  
**Soderholm**

(10) **Patent No.:** **US D694,138 S**

(45) **Date of Patent:** **\*\* Nov. 26, 2013**

(54) **MEASURING DEVICE FOR MEASURING POINT-TO-POINT DISTANCES AND INCLINATIONS OF A VEHICLE CHASSIS AND BODY**

(75) **Inventor:** **Stephan Soderholm**, Vastra Frolunda (SE)

(73) **Assignee:** **Car-O-Liner AB**, Kungsor (SE)

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/414,635**

(22) **Filed:** **Mar. 1, 2012**

(30) **Foreign Application Priority Data**

Sep. 2, 2011 (EP) ..... 001911660-0001

(51) **LOC (9) Cl.** ..... **10-04**

(52) **U.S. Cl.**  
USPC ..... **D10/70; D10/65**

(58) **Field of Classification Search**  
USPC ..... D10/46, 65, 70; D19/59, 65; 33/203, 33/203.12, 1 M, 286, 288, 200, 707, 501.6, 33/203.18, 203.19, 203.2, 503, 516, 530, 33/534, 533, 608, 645, 366.12, DIG. 21; 367/907; 356/4.01, 4.03, 498, 5.01; 348/601; 315/1; 178/18.09; 345/166; 362/259, 553, 558

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,406,713	A *	4/1995	Oman et al.	33/366.12
5,442,147	A *	8/1995	Burns et al.	178/18.09
5,831,718	A *	11/1998	Desai et al.	356/5.01
7,100,289	B1 *	9/2006	Strege et al.	33/203
7,578,602	B2 *	8/2009	Kajikuri et al.	362/259
7,903,237	B1 *	3/2011	Li	356/5.01
8,104,186	B2 *	1/2012	Raschella et al.	33/286

\* cited by examiner

*Primary Examiner* — Antoine D Davis

(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC


(57) **CLAIM**

The ornamental design for a measuring device for measuring point-to-point distances and inclinations on a vehicle chassis and body, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of the measuring device for measuring point-to-point distances and inclinations on a vehicle chassis and body according to my design; FIG. 2 is another front perspective view thereof; FIG. 3 is a rear perspective view thereof; FIG. 4 is another rear perspective view thereof; FIG. 5 is a front perspective view thereof with the measuring device for measuring point-to-point distances and inclinations on a vehicle chassis and body telescoped; and, FIG. 6 is rear perspective view thereof with the measuring device for measuring point-to-point distances and inclinations on a vehicle chassis and body telescoped.

**1 Claim, 6 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6