

US00D694173S

(12) **United States Design Patent**
Takada

(10) **Patent No.:** **US D694,173 S**
(45) **Date of Patent:** **** Nov. 26, 2013**

(54) **TREAD PORTION OF AN AUTOMOBILE
TIRE**

(75) Inventor: **Yukihiro Takada**, Tokyo (JP)

(73) Assignee: **Bridgestone Corporation**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/412,080**

(22) Filed: **Jan. 30, 2012**

(30) **Foreign Application Priority Data**

Dec. 21, 2011 (JP) 2011-029673

(51) **LOC (9) Cl.** **12-15**

(52) **U.S. Cl.**
USPC **D12/583**

(58) **Field of Classification Search**
USPC D12/568-603; 152/209.1-209.28
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D558,136 S * 12/2007 Maegaki D12/591
D619,528 S * 7/2010 Sakamoto D12/583
D647,463 S * 10/2011 Kojima D12/583
D653,197 S * 1/2012 Buchinger-Barnstorf ... D12/582

OTHER PUBLICATIONS

Japanese Design Gazette dated Jul. 23, 2012 issued in Japanese Design Application No. D 2011-29673.

* cited by examiner

Primary Examiner — George D Kirschbaum

(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC

(57) **CLAIM**

The ornamental design for a tread portion of an automobile tire, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the tread portion of an automobile tire according to my design;
FIG. 2 is another perspective view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a plane view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a left side view thereof;
FIG. 7 is a rear view thereof; and,
FIG. 8 is a fragmentary enlarged view showing the details of the tread portion thereof.

In the drawings the broken lines defining the sidewall, inner bead and the peripheral boundary between the claimed tire tread and the unclaimed sidewall depict environmental subject matter that forms no part of the claimed design.

1 Claim, 8 Drawing Sheets




FIG. 1



FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

