

US00D694196S

(12) **United States Design Patent**  
**Felegy, Jr. et al.**

(10) **Patent No.:** **US D694,196 S**

(45) **Date of Patent:** **\*\* \*Nov. 26, 2013**

(54) **LOAD CONTROL DEVICE**

(56) **References Cited**

(75) Inventors: **Edward M. Felegy, Jr.**, Macungie, PA (US); **Gregory M. Snyder**, Germansville, PA (US); **Gregory Altonen**, Easton, PA (US); **Elliot G. Jacoby**, Glenside, PA (US); **Noel Mayo**, Philadelphia, PA (US); **Joel S. Spira**, Coopersburg, PA (US)

U.S. PATENT DOCUMENTS

D323,488 S	1/1992	Darnell et al.	
D331,388 S *	12/1992	Dahnert et al.	D13/162
D378,814 S *	4/1997	Adams et al.	D13/164
5,637,964 A *	6/1997	Hakkarainen et al.	315/295
D436,579 S *	1/2001	Mayo et al.	D13/162
D450,053 S	11/2001	Bush et al.	
D453,742 S *	2/2002	Butler et al.	D13/164
D539,234 S *	3/2007	Blair et al.	D13/162

(Continued)

(73) Assignee: **Lutron Electronics, Co., Inc.**, Coopersburg, PA (US)

OTHER PUBLICATIONS

Lutron Electronics Co., Inc., Aurora Wireless Lighting Control Brochure, Nov. 2006, 2 pages.

(\*) Notice: This patent is subject to a terminal disclaimer.

(Continued)

(\*\*) Term: **14 Years**

*Primary Examiner* — Selina Sikder

(74) *Attorney, Agent, or Firm* — Mark E. Rose; Philip N. Smith; Bridget L. McDonough

(21) Appl. No.: **29/429,713**

(57) **CLAIM**

(22) Filed: **Aug. 15, 2012**

We claim the ornamental design for a load control device, as shown and described.

**Related U.S. Application Data**

**DESCRIPTION**

(62) Division of application No. 29/384,853, filed on Feb. 4, 2011, now abandoned.

(51) **LOC (9) Cl.** ..... **13-03**


(52) **U.S. Cl.**  
USPC ..... **D13/162**

(58) **Field of Classification Search**  
USPC ..... D13/162, 164, 171, 177; 174/66;  
200/5 R, 5 A, 1 B, 293, 296, 329, 406,  
200/513, 520, 530, 302.1, 302.2, 314, 315,  
200/341, 344; 338/198–200; 307/112, 115,  
307/125, 139, 157

FIG. 1 is a perspective view of a load control device according to a first embodiment of our new design.  
FIG. 2 is a front view thereof.  
FIG. 3 is a left side view thereof.  
FIG. 4 is a right side view thereof.  
FIG. 5 is a top view thereof.  
FIG. 6 is a bottom view thereof.  
FIG. 7 is a perspective view of a load control device according to a second embodiment of our new design; and,  
FIG. 8 is a front view thereof, left side, right side, top, and bottom views, respectively, of the second embodiment being identical to the left side, right side, top, and bottom views of the first embodiment.  
The rear views form no part of the design and are omitted.

See application file for complete search history.

**1 Claim, 6 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D569,813 S \* 5/2008 Charleux et al. .... D13/168  
D596,143 S 7/2009 Felegy, Jr. et al.  
D606,030 S 12/2009 Felegy, Jr. et al.  
D611,432 S \* 3/2010 Ducret ..... D13/168  
D627,309 S \* 11/2010 Snyder et al. .... D13/171  
D631,856 S 2/2011 Altonen et al.  
D636,347 S 4/2011 Felegy, Jr. et al.  
D636,348 S \* 4/2011 Lind et al. .... D13/162  
D645,411 S \* 9/2011 Lind et al. .... D13/162

D645,412 S \* 9/2011 Lind et al. .... D13/162  
D645,413 S \* 9/2011 Lind et al. .... D13/162  
D661,664 S 6/2012 Felegy, Jr. et al.  
D666,978 S \* 9/2012 Felegy et al. .... D13/164  
D673,510 S \* 1/2013 Felegy et al. .... D13/164  
2009/0251352 A1 \* 10/2009 Altonen et al. .... 341/176  
2011/0266122 A1 \* 11/2011 Zaharchuk et al. .... 200/308

OTHER PUBLICATIONS

U.S. Appl. No. 29/429,762, filed Aug. 16, 2012, Felegy, Jr. et al.

\* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8