



US00D694238S

(12) **United States Design Patent**
Du

(10) **Patent No.:** **US D694,238 S**

(45) **Date of Patent:** **** Nov. 26, 2013**

(54) **EXTENDABLE CAPACITIVE STYLUS**

(74) *Attorney, Agent, or Firm* — Richard D. Clarke

(71) Applicant: **Tiffany Du**, Garden Grove, CA (US)

(57) **CLAIM**

I claim the ornamental design for an extendable capacitive stylus, as shown and described.

(72) Inventor: **Tiffany Du**, Garden Grove, CA (US)

(**) Term: **14 Years**

DESCRIPTION

(21) Appl. No.: **29/458,317**

FIG. 1 is a side elevation and front perspective view of the extendable capacitive stylus, shown fully extended;

(22) Filed: **Jun. 18, 2013**

FIG. 2; is a side elevation and front perspective view of the extendable capacitive stylus, shown partially extended;

(51) **LOC (9) Cl.** **14-02**

FIG. 3 is a side elevation and front perspective view of the extendable capacitive stylus, shown fully closed;

(52) **U.S. Cl.**

USPC **D14/411**

FIG. 4 is a side elevation view of the extendable capacitive stylus, shown fully closed, wherein the opposite side is a mirror image of same;

(58) **Field of Classification Search**

USPC D8/61; D14/411; D19/35, 36, 41–51,
D19/54–58; 401/55, 99, 100, 104–107, 196,
401/197, 202, 208, 209, 213, 192, 195,
401/243; 708/107; 345/179, 173;
178/19.01; 700/94

FIG. 5 is a side elevation view of the extendable capacitive stylus, shown partially extended, wherein the opposite side is a mirror image of same;

See application file for complete search history.

FIG. 6 is a side elevation view of the extendable capacitive stylus, shown fully extended, wherein the opposite side is a mirror image of same;

(56) **References Cited**

U.S. PATENT DOCUMENTS

D364,424 S *	11/1995	Shimizu	D19/51
D395,875 S *	7/1998	Aiken et al.	D14/411
D415,197 S *	10/1999	Izushima	D19/48
D418,163 S *	12/1999	Rosen	D19/51
D456,411 S *	4/2002	Kourushi	D14/411
D497,387 S *	10/2004	Cetera	D19/36
D538,854 S *	3/2007	Nakazawa	D19/51
D595,352 S *	6/2009	Ikeda	D19/48
D628,640 S *	12/2010	Wang	D19/50
D642,619 S *	8/2011	Kermoal	D19/48
D644,227 S *	8/2011	Son	D14/411
D655,292 S *	3/2012	Nakata	D14/411
D669,896 S *	10/2012	Nakata	D14/411

FIG. 7 is a top plan view of the extendable capacitive stylus;

FIG. 8 is a bottom view of the extendable capacitive stylus;

FIG. 9 is a front view of the extendable capacitive stylus, shown fully closed;

FIG. 10 is a front view of the extendable capacitive stylus, shown partially extended;

FIG. 11 is a front view of the extendable capacitive stylus, shown fully extended;

FIG. 12 is a rear view of the extendable capacitive stylus, shown fully closed;


FIG. 13 is a rear view of the extendable capacitive stylus, shown partially extended; and,

FIG. 14 is a rear view of the extendable capacitive stylus, shown fully extended.

* cited by examiner

Primary Examiner — Austin Murphy

1 Claim, 4 Drawing Sheets






Fig. 1

Fig. 2

Fig. 3




Fig. 4




Fig. 5




Fig. 6



Fig. 8




Fig. 9




Fig. 7




Fig. 10




Fig. 11



Fig. 12




Fig. 13




Fig. 14