



US00D694283S

(12) **United States Design Patent**
Shimozono et al.

(10) **Patent No.:** **US D694,283 S**

(45) **Date of Patent:** **** Nov. 26, 2013**

(54) **RUBBER CRAWLER**

(75) Inventors: **Nobuo Shimozono**, Tokyo (JP); **Kaoru Okada**, Tokyo (JP)

(73) Assignee: **Bridgestone Corporation**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/418,475**

(22) Filed: **Apr. 17, 2012**

(30) **Foreign Application Priority Data**

Oct. 24, 2011 (JP) 2011-024384

(51) **LOC (9) Cl.** **15-03**

(52) **U.S. Cl.**
USPC **D15/28**

(58) **Field of Classification Search**
USPC D15/22–26, 28; D21/491, 495, 537,
D21/431, 484; 152/108, 62, 88; 305/35, 44,
305/160, 185, 53, 201, 46, 50, 196, 198,
305/200, 39, 162, 187, 191, 189
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

6,079,802 A *	6/2000	Nishimura et al.	305/157
D454,890 S *	3/2002	Tsuru	D15/28
D484,515 S *	12/2003	Nishimura	D15/28
D496,051 S *	9/2004	Yoshida	D15/28
D514,133 S *	1/2006	Fujita	D15/28
D543,218 S *	5/2007	Yoshida	D15/28
D549,741 S *	8/2007	Tateishi et al.	D15/28
D557,713 S *	12/2007	Sugihara et al.	D15/28
D561,786 S *	2/2008	Tateishi	D15/28
D562,353 S *	2/2008	Sugihara	D15/28
D562,852 S *	2/2008	Tateishi	D15/28
D565,605 S *	4/2008	Tateishi	D15/28
D565,606 S *	4/2008	Sugihara	D15/28
D567,823 S *	4/2008	Hagio	D15/28

D602,962 S *	10/2009	Miyamoto et al.	D15/28
D613,774 S *	4/2010	Mizusawa	D15/28
D613,775 S *	4/2010	Mizusawa	D15/28
D615,105 S *	5/2010	Abiko	D15/28
D615,106 S *	5/2010	Shimozono	D15/28
D618,254 S *	6/2010	Shimozono	D15/28
D626,973 S *	11/2010	Shimozono	D15/28
2001/0054845 A1 *	12/2001	Choi	305/178

FOREIGN PATENT DOCUMENTS

JP	1275823 S	7/2006
JP	1331077 S	5/2008
JP	1368654 S	8/2009

OTHER PUBLICATIONS

Japanese Design Gazette dated Jun. 11, 2012 issued in the counter-
part Japanese Design Application No. D2011-024384.

* cited by examiner

Primary Examiner — Mark Goodwin

(74) *Attorney, Agent, or Firm* — Sughrue Mion, PLLC

(57) **CLAIM**

The ornamental design for a rubber crawler, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a rubber crawler according to our new design;
FIG. 2 is a front view thereof;
FIG. 3 is a top view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a rear view thereof; and,
FIG. 7 is a bottom view thereof.
Broken lines are used in the drawing figures to show unclaimed subject matter, and thus form no part of the claimed design.

1 Claim, 7 Drawing Sheets




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7

