

#### (12) United States Design Patent (10) Patent No.: US D694,338 S Bengyak (45) Date of Patent: \*\* Nov. 26, 2013

(54) HAND SIGN

(76) Inventor: Christopher Edward Bengyak, Vero Beach, FL (US)

(\*\*) Term: 14 Years

(21) Appl. No.: **29/421,343** 

(57) CLAIM The ornamental design for a hand sign, as shown and described.

#### DESCRIPTION

FIG. 1 is a right-side elevational view of a first embodiment of a left-hand hand sign according to the invention;
FIG. 2 is a left-side elevational view of the left-hand hand sign of FIG. 17;
FIG. 3 is a rear elevational view of the left-hand hand sign of FIG. 17

> USPC ...... D20/10, 19, 29–33, 35–37, 99; 40/446, 40/538, 541, 584, 586; D2/615; D10/109.1, 109.2; D11/131, 157, 158; D21/400

See application file for complete search history.

(56) **References Cited** 

#### U.S. PATENT DOCUMENTS

D207,442 S \* 4/1967 Facci ..... D2/616 D339,380 S \* 9/1993 Scapillato ..... D20/29 (Continued)

#### **OTHER PUBLICATIONS**

FIG. 17;

FIG. **4** is a front elevational view of the left-hand hand sign of FIG. **17**;

FIG. 5 is a reduced scale top plan view of the left-hand hand sign of FIG. 17;

FIG. 6 is a reduced scale bottom plan view of the left-hand hand sign of FIG. 17;

FIG. 7 is a perspective view from below the front of the left side of the left-hand hand sign of FIG. 18;

FIG. 8 is a perspective view from above the rear of the left side of the left-hand hand sign of FIG. 18;

FIG. 9 is a left-side elevational view of a second embodiment of a right-hand hand sign according to the invention; FIG 10 is a right-side elevational view of the right-hand hand

FIG. **10** is a right-side elevational view of the right-hand hand sign of FIG. **25**;

FIG. 11 is a reduced scale front elevational view of the righthand hand sign of FIG. 25;

FIG. 12 is a reduced scale rear elevational view of the righthand hand sign of FIG. 25;

FIG. 13 is a reduced scale top plan view of the right-hand hand sign of FIG. 25;

FIG. 14 is a reduced scale bottom plan view of the right-hand hand sign of FIG. 25;

FIG. 15 is a perspective view from below the front of the right side of the right-hand hand sign of FIG. 26; and, FIG. 16 is a perspective view from above the rear of the right side of the right-hand hand sign of FIG. 26. The stylized grizzly paw with basketball, in FIGS. 1 and 9, forming part of the design is a registered trademark. The REGISTRANT Hoops L.P. Heisley Member, Inc., a Nevada corporation PARTNERSHIP DELAWARE 175 Toyota Plaza, Suite 150 Memphis Tenn. 38103, owns the trademark forming part of the claimed design.

Stylized Closed Bear Paw—Trademark Registration No. 2840443, May 11, 2004 Hoops L.P. The General Partner, Heisley Member, Inc Trademark Electronic Service System (TESS), available at www. uspto.gov.\*

(Continued)

*Primary Examiner* — Mary Ann Calabrese

1 Claim, 12 Drawing Sheets



#### US D694,338 S

#### Page 2

#### **References Cited** (56)

#### U.S. PATENT DOCUMENTS

D347,658 S	5 *	6/1994	Scapillato D20/29
D394,229 S	5 *	5/1998	Curry D11/126
D397,740 S	5 *	9/1998	Georgevich D21/400
D404,771 S	5 *	1/1999	Palardis D20/29
D421,465 S	5 *	3/2000	Palardis D20/29
D427,638 S	5 *	7/2000	Collins et al D20/10
D429,285 S	5 *	8/2000	Schini D20/32
D555,205 S	5 *	11/2007	Strong D20/10
D628,651 S	5 *	12/2010	Lake D20/33
D641,791 S	5 *	7/2011	Scott D20/33
D662 550 6	. *	6/2012	$D_{a} = \frac{D_{a}}{D_{a}} \frac{D_{a}}{D_{a}}$

#### OTHER PUBLICATIONS

Stylized Open Grizzly Bear Paw-Trademark Registration No. 3111225, Jul. 4, 2006 Grizzly Supply, Inc. Corporation Minnesota Trademark Electronic Service System (TESS), available at www. uspto.gov.\*

Memphis Grizzlies Alternate Logo (Feb. 2001-Apr. 2003)-Chris Creamer's sportslogos.net http://www.sportslogos.net/logo. php?id=mrnwrtdjw8fccmx76m17w5aue pulled from the web on Sep. 6, 2012.\*

D662,550 S \* 6/2012 Bengyak ..... D20/29 \* cited by examiner

## U.S. Patent Nov. 26, 2013 Sheet 1 of 12 US D694,338 S



## U.S. Patent Nov. 26, 2013 Sheet 2 of 12 US D694,338 S





### U.S. Patent Nov. 26, 2013 Sheet 3 of 12 US D694,338 S



FIG. 4

# U.S. Patent Nov. 26, 2013 Sheet 4 of 12 US D694,338 S

1					4 8
1					4 8
	3				4 8
					4 1
1					4 1
					4 1
1					4 1
1					4 1
					4 8
•					4 I
•					
					4 8
•					4 9
•					4 1
1					4 8
1					4 B
					4 6
					4 🛛 🗖
					<i>i</i> <b>I</b>
					4 E

FIG. 5



## U.S. Patent Nov. 26, 2013 Sheet 5 of 12 US D694,338 S



## U.S. Patent Nov. 26, 2013 Sheet 6 of 12 US D694,338 S



## U.S. Patent Nov. 26, 2013 Sheet 7 of 12 US D694,338 S



### U.S. Patent Nov. 26, 2013 Sheet 8 of 12 US D694,338 S



# U.S. Patent Nov. 26, 2013 Sheet 9 of 12 US D694,338 S





# U.S. Patent Nov. 26, 2013 Sheet 10 of 12 US D694,338 S

4				
3				
1				
9	1			
1				
1				

FIG. 13



#### **U.S. Patent** US D694,338 S Nov. 26, 2013 **Sheet 11 of 12**



# U.S. Patent Nov. 26, 2013 Sheet 12 of 12 US D694,338 S

