



US00D694463S

(12) **United States Design Patent**
Sieczkowski

(10) **Patent No.:** **US D694,463 S**

(45) **Date of Patent:** **** Nov. 26, 2013**

(54) **LIGHT FIXTURE**

(71) Applicant: **ABL IP Holding LLC**, Conyers, GA
(US)

(72) Inventor: **Philip Sieczkowski**, Lawrenceville, GA
(US)

(73) Assignee: **ABL IP Holding LLC**, Conyers, GA
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/436,827**

(22) Filed: **Nov. 9, 2012**

(51) **LOC (9) Cl.** **26-99**

(52) **U.S. Cl.**
USPC **D26/124**

(58) **Field of Classification Search**
USPC D26/118, 119, 120, 67, 68, 69, 62, 63,
D26/85, 86, 121, 122, 65, 124, 125, 139,
D26/138, 140, 155, 154, 72, 76, 75, 64, 66,
D26/71, 78, 79, 84, 137, 136, 126, 127, 128,
D26/129, 135, 132, 134, 142, 144, 145, 147,
D26/152, 1, 2, 3, 87, 88, 24, 25, 26, 28, 89,
D26/90, 91, 92; 362/225, 326, 147,
362/249.01-249.12, 346, 223, 224, 306,
362/149, 362, 217.05, 342, 217.03, 297,
362/294, 235, 329, 476, 555, 218;
D13/179, 180

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,255,431 A * 9/1941 Marden et al. 313/485
D286,446 S * 10/1986 Caroli et al. D26/123
D371,857 S * 7/1996 Gismondi D26/85

D417,269 S * 11/1999 Thomas, Jr. D23/411
D421,507 S * 3/2000 Borders et al. D26/118
6,312,145 B1 * 11/2001 Rhoad 362/311.14
D490,183 S * 5/2004 Benensohn D26/89
D493,246 S * 7/2004 Benensohn D26/89
D494,705 S * 8/2004 Tai D26/128
D498,871 S * 11/2004 Benensohn D26/89
D506,280 S * 6/2005 Chen D26/67
D544,979 S * 6/2007 Hartmann et al. D26/74
D544,988 S * 6/2007 Benensohn D26/89
D556,357 S * 11/2007 Butler et al. D26/71

(Continued)

OTHER PUBLICATIONS

Recess-Trim > Shower Trim > P8025-60, Progress Lighting,
undated, 1 page.

(Continued)

Primary Examiner — Kevin Rudzinski

(74) *Attorney, Agent, or Firm* — Kilpatrick Townsend &
Stockton, LLP



(57) **CLAIM**

The ornamental design for a light fixture, as shown and
described.

DESCRIPTION

FIG. 1 is a bottom perspective view of the light fixture.
FIG. 2 is a right side elevation view of the light fixture of FIG.
1, it being understood that all side elevation views are iden-
tical to the right side elevation view.
FIG. 3 is a top plan view of the light fixture of FIG. 1; and,
FIG. 4 is a bottom plan view of the light fixture of FIG. 1.
Portions or features of the light fixture not shown in the
drawings form no part of the claimed design. The broken lines
in the drawings illustrating portions of the light fixture form
no part of the claimed design.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

7,322,722	B2 *	1/2008	Hartmann et al.	362/365
D561,374	S *	2/2008	Hartmann et al.	D26/74
D570,532	S *	6/2008	Camarota	D26/120
D577,847	S *	9/2008	Ruud et al.	D26/71
D584,850	S *	1/2009	Itiravivong	D26/89
D585,580	S *	1/2009	Riffel et al.	D26/72
D592,344	S *	5/2009	Wilcox et al.	D26/67
D606,240	S *	12/2009	Bernhardt	D26/118
D607,600	S *	1/2010	Keith	D26/85
D618,848	S *	6/2010	Campagna	D26/124
D628,738	S *	12/2010	Chen	D26/89
D633,644	S *	3/2011	Sprengers	D26/89
D634,053	S *	3/2011	Guercio	D26/89
D655,850	S *	3/2012	Sabernig	D26/85
D656,264	S *	3/2012	Janssen	D26/85
D657,485	S *	4/2012	Kong et al.	D26/71
D662,648	S *	6/2012	Whiting et al.	D26/89
D665,526	S *	8/2012	Kong et al.	D26/113
D676,181	S *	2/2013	Sandell et al.	D26/92

OTHER PUBLICATIONS

Two-Light Fluorescent Ceiling Fixture. Sea Gull Lighting, undated, 1 page.
 7413, Cooper Lighting, undated, 1 page.
 226 Series, Cooper Lighting, undated, 1 page.
 Camden Series, CMS2022/2032/2054/2072, American Fluorescent, undated, 1 page.
 Kichler Lighting 10889WH 1 Light Fluorescent Flush Mount Ceiling Light in White, Kicher 2013, 2 pages.
 Kichler Lighting 10890WH 1 Light Fluorescent Flush Mount Ceiling Light in White, Kicher Lighting, 2013, 2 pages.
 CMS, Eclipse Lighting, 2013, 1 page.

Low-Profile Round, Lithonia Lighting, 2013, 2 pages.
 Lite Source LS-5410SS/WHT Pegeen Flush Mount Ceiling Light, Satin Steel, LightingUniverse, 1999-2013, 3 pages.
 Lite Source LS-5411SS/WHT Pegeen Flush Mount Ceiling Light, Satin Steel, LightingUniverse, 1999-2013, 3 pages.
 Lite Source LS-5412SS/WHT Pegeen Flush Mount in Satin Steel with Acrylic Shade, Homeclick, 2009-2013, 3 pages.
 Lite Source LS-5414SS/WHT 1 Light Flush Mount 11 with White Acrylic Shade from the Bridgit Collection, Lighting Direct, 2009-2013, 3 pages.
 Close-to-Ceiling > Round Clouds > P7307-60, Progress Lighting, 2011, 2 pages.
 Close-to-Ceiling > Round Clouds > P7309-60, Progress Lighting, 2011, 2 pages.
 Close-to-Ceiling > Round Clouds > P7310-60EB, Progress Lighting, 2011, 2 pages.
 Close-to-Ceiling > Round Clouds > P7383-30, Progress Lighting, 2011, 2 pages.
 Close-to-Ceiling > Round Clouds > P7384-30, Progress Lighting, 2011, 2 pages.
 Close-to-Ceiling > Round Clouds > P7385-30, Progress Lighting, 2011, 2 pages.
 Close-to-Ceiling > Acrylic Round > P7377-30, Progress Lighting, 2011, 2 pages.
 Close-to-Ceiling > Acrylic Round > P7378-30, Progress Lighting, 2011, 2 pages.
 CMS Series, AFX Lighting, 2013, 1 page.
 Single-Light Fluorescent Ceiling Fixture, Sea Gull Lighting, undated, 1 page.
 Fluorescent Three Light Close to Ceiling, Sea Gull Lighting, undated, 1 page.
 Cooper Lighting Metalux Residential Lighting, Cooper Lighting, Products, undated 16 Pages.
 The Efficiency Lighting Book, Kichler Lighting, undated, 4 pages.

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4