

US00D694611S

(12) **United States Design Patent**
Yoakum

(10) **Patent No.:** **US D694,611 S**

(45) **Date of Patent:** **** Dec. 3, 2013**

(54) **BELL HOLDER**

(75) Inventor: **Marshall Yoakum**, San Marcos, CA
(US)

(73) Assignee: **The Source**, San Marcos, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/372,751**

(22) Filed: **Jan. 7, 2011**

(51) **LOC (9) Cl.** **08-08**

(52) **U.S. Cl.**
USPC **D8/349**

(58) **Field of Classification Search**
USPC D8/39, 354, 349, 367, 373, 71, 363,
D8/380, 382, 17, 19, 21, 27, 28; D25/119,
D25/138, 121, 124, 125, 126; D34/38;
248/323, 126, 300, 121, 200, 217.3;
206/512, 504, 585, 821; 411/466, 920;
52/715, 122.1, 204.5, 238.1-243.1,
52/285.2, 394, 395, 578, 582.1, 584.1,
52/589.1; 108/53.1, 53.3, 53.5, 55.3, 55.5,
108/55.1, 56.3; 81/176.1, 52, 119
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

391,211	A *	10/1888	Torkelson	7/138
496,913	A *	5/1893	Shoe	81/119
1,359,423	A *	11/1920	Pettibone	279/24
1,402,391	A *	1/1922	Baldus	7/128
1,958,505	A *	5/1934	Shozaburo	132/309
D273,454	S *	4/1984	Pyles	D8/28
D276,123	S *	10/1984	Pyles	D8/17
D282,046	S *	1/1986	Dumond et al.	D8/21
D309,411	S *	7/1990	Strock	D8/17
D316,525	S *	4/1991	Waddell et al.	D10/64
D320,725	S *	10/1991	Rubesh	D8/25

D334,693	S *	4/1993	Burke	D8/17
5,303,619	A *	4/1994	Cole, Sr.	81/180.1
5,435,030	A *	7/1995	Phillips	7/138
D361,503	S *	8/1995	Hubbard	D8/354
D376,094	S *	12/1996	Hubbard	D8/354
D379,054	S *	5/1997	Asaad	D8/28
D399,715	S *	10/1998	Budd, Sr.	D8/17
D422,466	S *	4/2000	Kovach	D8/17
D434,622	S *	12/2000	Jaynes	D8/17
D438,437	S *	3/2001	Halstead	D8/21
D441,263	S *	5/2001	Hasenberg et al.	D8/28
D458,523	S *	6/2002	Newton, Sr.	D8/17
6,418,988	B1 *	7/2002	Palumbo et al.	141/392
D461,107	S *	8/2002	Pitt	D8/17
D472,189	S *	3/2003	McCoy et al.	D12/162
D472,190	S *	3/2003	McCoy et al.	D12/162
D473,436	S *	4/2003	Pilatzke et al.	D8/28
D473,827	S *	4/2003	McCoy et al.	D12/162
D488,691	S *	4/2004	Ziems	D8/40
D512,286	S *	12/2005	Wolf	D8/21
7,040,034	B2 *	5/2006	Nielson et al.	33/666
D529,349	S *	10/2006	Kitchen et al.	D8/21
D530,220	S *	10/2006	Rubin	D9/679
D532,661	S *	11/2006	Wood	D8/14
7,143,491	B2 *	12/2006	Wood	29/275
D535,985	S *	1/2007	Sergi	D14/238

(Continued)

Primary Examiner — Mark Goodwin

(74) *Attorney, Agent, or Firm* — William W. Haefliger


(57) **CLAIM**

The ornamental design for a bell holder, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front view of a bell holder showing my new design, the rear view being a mirror image thereof; FIG. 2 is a left side view thereof; FIG. 3 is a right side view thereof; FIG. 4 is a bottom plan view thereof; and, FIG. 5 is a top plan view thereof.

1 Claim, 1 Drawing Sheet



(56)

References Cited

U.S. PATENT DOCUMENTS

D541,120 S * 4/2007 Chaconas D8/28
D543,826 S * 6/2007 West D8/305
D544,176 S * 6/2007 Rubin D1/106
D546,649 S * 7/2007 Jennings D8/21
D557,575 S * 12/2007 Jennings D8/27
D576,867 S * 9/2008 Kretz D8/356

7,530,295 B2 * 5/2009 Jones et al. 81/124.4
D597,086 S * 7/2009 Sergi et al. D14/238
D603,230 S * 11/2009 DeBow D8/17
D619,444 S * 7/2010 Oyegoke D8/349
D628,607 S * 12/2010 Irion et al. D15/138
D645,794 S * 9/2011 Noble et al. D12/159
D657,231 S * 4/2012 Springer D8/354
D673,435 S * 1/2013 Minton D8/28

* cited by examiner

FIG. 5




FIG. 1




FIG. 2



FIG. 3



FIG. 4

