

US00D694632S

(12)

United States Design Patent
Floyd et al.

(10) Patent No.:

US D694,632 S

(45) Date of Patent:

** Dec. 3, 2013

(54) CONTAINER

(75) Inventors: **Brian Lee Floyd**, Cincinnati, OH (US);
Ian Andrew Carnduff, New York, NY
(US); **Graham Clive Hufton**, New York,
NY (US); **Thomas Arthur Sturgis**,
Mason, OH (US)

(73) Assignee: **The Gillette Company**, Boston, MA
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/428,112**

(22) Filed: **Jul. 26, 2012**

(51) **LOC (9) Cl.** **09-01**

(52) **U.S. Cl.**
USPC **D9/516**

(58) **Field of Classification Search**
USPC D9/434, 516, 529, 542, 549, 551–552,
D9/565, 571–572, 575, 682, 686–692, 694,
D9/715, 719, 723, 725, 763, 766–767,
D9/772–773, 776, 779–781; D4/114, 116;
D28/7; 215/379–385; 220/660,
220/669–673, 675

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D21,179 S	11/1891	Hardie	
D33,992 S	1/1901	Albright	
D53,980 S	11/1919	Behrman	
1,813,615 A *	7/1931	Frazier	401/1
1,950,155 A	3/1934	Statham	
2,537,872 A	1/1951	Wright	
2,729,505 A	1/1956	Harvey	
2,756,908 A	7/1956	Miller	
D189,373 S	11/1960	Lerner	
D205,127 S	6/1966	Dykes, Jr.	
D223,438 S	4/1972	Lluch	
D234,074 S	1/1975	Nilsson	

D276,480 S	11/1984	Nigro	
4,603,992 A	8/1986	Kavoussi	
4,636,102 A	1/1987	Drake	
D324,776 S	3/1992	Griffin et al.	
D336,567 S	6/1993	Glover et al.	
D381,273 S	7/1997	Fenton et al.	
D395,597 S	6/1998	Lamb	
D406,761 S *	3/1999	Garcia	D9/434
D442,369 S	5/2001	Damiano	
D463,291 S	9/2002	Kukubo et al.	
D463,984 S	10/2002	Kukkubo et al.	
D465,409 S	11/2002	Marandin	
D480,308 S *	10/2003	Grisdale et al.	D9/520
D480,309 S *	10/2003	Choke-arpornchai et al.	D9/522
D516,919 S	3/2006	Sakai et al.	
D525,145 S	7/2006	Davis et al.	
D527,652 S	9/2006	Davis et al.	

(Continued)

FOREIGN PATENT DOCUMENTS

DE	10306983	9/2003
FR	2592562	7/1987

Primary Examiner — Ian Simmons

Assistant Examiner — Dana L Meyrow

(74) *Attorney, Agent, or Firm* — Jay A. Krebs


(57) **CLAIM**

The ornamental design for a container, as shown and described.

DESCRIPTION

FIG. 1 is a top, front, right side perspective view of a container in accordance with the present invention;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a right side elevation view thereof;
FIG. 5 is a left side elevation view thereof; and,
FIG. 6 is a top plan view thereof.
The broken lines in the drawings illustrate the portions of the design that form no part of the claim.

1 Claim, 4 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D537,349 S2/2007Ball et al.

D538,174 S3/2007Isono et al.

D542,666 S5/2007Trude

D561,035 S2/2008Leslie et al.

D572,486 S7/2008Lamason et al.

D583,253 S12/2008Yamamoto

D583,678 S12/2008Yamamoto

D585,751 S2/2009Dombrowski et al.

D590,661 S4/2009Kitamura et al.

D593,861 S6/2009Sparks et al.

D593,867 S6/2009Sparks et al.

D599,113 S9/2009Jackel-Marken

D601,427 S10/2009Miller et al.

D610,021 S2/2010Kinoshita et al.

D619,010 S7/2010Wasson et al.

D624,641 S9/2010Boclet

D631,746 S2/2011Luburic

7,883,287 B22/2011Thorpe

D633,800 S3/2011Haywood

D636,683 S4/2011Floyd et al.

D645,353 S9/2011Floyd et al.

D660,180 S5/2012Floyd et al.

D661,986 S6/2012Floyd et al.

D683,239 S *5/2013Broen et al. D9/689

2009/0263174 A110/2009Groh et al.

2009/0263175 A110/2009Groh et al.

2010/0239358 A19/2010Sturgis et al.

2011/0076088 A13/2011Groh

2011/0142530 A16/2011Myers

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5




FIG. 6