



US00D694647S

(12) **United States Design Patent**
Hermes et al.

(10) **Patent No.:** **US D694,647 S**
(45) **Date of Patent:** **** Dec. 3, 2013**

- (54) **DUAL COMPARTMENT POUCH**
- (71) Applicant: **Pactech Packaging, LLC**, Rochester, NY (US)
- (72) Inventors: **Paul W. Hermes**, Webster, NY (US);
Frank J. Colombo, Rochester, NY (US)
- (73) Assignee: **Pactech Packaging, LLC**, Rochester, NY (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/459,552**
- (22) Filed: **Jul. 1, 2013**
- (51) **LOC (9) Cl.** **09-05**
- (52) **U.S. Cl.**
USPC **D9/702**
- (58) **Field of Classification Search**
USPC D9/702-703, 707, 709, 711, 713,
D9/430-431, 761, 414-417, 695-696, 737,
D9/419, 424-426, 734, 499; 426/106, 115,
426/119, 120, 122, 132, 134, 108, 112;
222/82, 92, 107, 527, 129; 206/229,
206/484, 527, 271-273, 390, 438, 449,
206/820; D24/118, 207; 383/207, 200, 63,
383/209; 229/87.01, 87.05, 87.03, 87.14,
229/87.08; 428/35.2; D3/203.1, 203.2, 303
See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS

4,256,256	A	3/1981	Meyers	
4,312,473	A	1/1982	Hoeller	
RE34,117	E	10/1992	Martin et al.	
6,234,675	B1	5/2001	Saad et al.	
6,395,317	B1	5/2002	Singh et al.	
6,609,998	B2	8/2003	Lauzon et al.	
D510,277	S *	10/2005	Bennie et al.	D9/707
D513,192	S *	12/2005	Lin	D9/702

D541,171	S *	4/2007	Delmotte et al.	D9/709
D563,241	S *	3/2008	Nimey	D9/705
D588,013	S *	3/2009	Tanaka et al.	D9/703
7,556,429	B2	7/2009	Taheri	
D603,719	S *	11/2009	Atkin	D9/707
7,631,760	B2	12/2009	Guelzow et al.	
D612,743	S *	3/2010	Bradley	D9/703
D613,615	S *	4/2010	Hedstrom	D9/702
D623,536	S *	9/2010	Bohmke	D9/707

(Continued)



Primary Examiner — Caron D Veynar
Assistant Examiner — Abraham Bahta
(74) *Attorney, Agent, or Firm* — Woods Oviatt Gilman LLP

(57) **CLAIM**
The ornamental design for a dual compartment pouch, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a bulk consumables pouch showing my new design;
 FIG. 2 is a bottom view thereof;
 FIG. 3 is a top view thereof;
 FIG. 4 is a left side view thereof;
 FIG. 5 is a front view thereof;
 FIG. 6 is a right side view thereof;
 FIG. 7 is a back view thereof;
 FIG. 8 is a top right perspective view of the bulk consumables pouch shown in FIG. 1 where a top edge of a front wall not yet sealed with a top edge of a center wall and a back wall, and a bottom edge of the back wall not yet sealed with a bottom edge of the center wall and the front wall;
 FIG. 9 is a right side view thereof;
 FIG. 10 is a bottom view thereof;
 FIG. 11 is a top view thereof;
 FIG. 12 is a front view thereof;
 FIG. 13 is a left side view thereof;
 FIG. 14 is a back view thereof; and,
 FIG. 15 is a bottom left perspective view thereof.

1 Claim, 7 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D688,565 S * 8/2013 Bohmke et al. D9/707
D688,566 S * 8/2013 Bohmke et al. D9/707
2006/0023974 A1 2/2006 Zimmerman

2007/0294931 A1 12/2007 Kettles
2008/0066491 A1 3/2008 Russo
2008/0107781 A1 5/2008 Carroll
2009/0169137 A1 7/2009 Allerup et al.
2010/0159096 A1 6/2010 Sam

* cited by examiner




FIG. 1.



FIG. 2.

FIG. 3.

FIG. 4.




FIG. 5.

FIG. 6.




FIG. 7.




FIG. 8.




FIG. 9.




FIG. 10.




FIG. 11.




FIG. 12.



FIG. 13.




FIG. 14.




FIG. 15.