



US00D694661S

(12) **United States Design Patent**
Vinnage et al.

(10) **Patent No.:** **US D694,661 S**
(45) **Date of Patent:** **** Dec. 3, 2013**

(54) **LOW VOLUME FLUID SENSING APPARATUS**

D591,627 S * 5/2009 Roys D10/101
D613,631 S * 4/2010 Roys D10/101
D639,193 S * 6/2011 Roys D10/101

(75) Inventors: **Alexander S. Vinnage**, Loveland, OH
(US); **David Clifton Jones**, Cincinnati,
OH (US)

* cited by examiner

(73) Assignee: **Standex International Corporation**,
Salem, NH (US)

Primary Examiner — Antoine D Davis

(74) *Attorney, Agent, or Firm* — William B. Ritchie

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/427,423**

The design for the low volume fluid sensing apparatus, as shown.

(22) Filed: **Jul. 18, 2012**

(51) **LOC (9) Cl.** **10-04**

(52) **U.S. Cl.**
USPC **D10/101**

(58) **Field of Classification Search**
USPC D10/101; 73/290 R-290 V, DIG. 5;
340/450.3, 623
See application file for complete search history.

DESCRIPTION

FIG. 1 is an isometric view of the low volume fluid sensing apparatus in accordance with the invention with the float shown in the lowered position.

FIG. 2 is the isometric view of the apparatus with the float in the upper position.

FIG. 3 is the side view of the apparatus as shown in FIG. 2 with the float in the upper position.

FIG. 4 is the top view of the apparatus; and,


FIG. 5 is the bottom view of the apparatus.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D551,182 S * 9/2007 Furukawa et al. D10/101
D570,236 S * 6/2008 Roys D10/101

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5