



US00D694893S

(12) **United States Design Patent**
Heck

(10) **Patent No.:** **US D694,893 S**

(45) **Date of Patent:** **** Dec. 3, 2013**

(54) **BACKBOARD WITH EXENDABLE HANDLES FOR TRANSPORTING A PATIENT**

(75) Inventor: **Robert W. Heck**, Park City, UT (US)

(73) Assignee: **EZ Lift Rescue Systems, Inc.**, Park City, UT (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/429,710**

(22) Filed: **Aug. 15, 2012**

(51) **LOC (9) Cl.** **24-04**

(52) **U.S. Cl.**
USPC **D24/190**

(58) **Field of Classification Search**
USPC D24/183, 190; D12/128, 133; 5/625, 5/626, 627; 128/869, 870
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

606,355	A	6/1898	Moore	
3,111,687	A	11/1963	Sacks	
3,663,972	A	5/1972	Denton	
4,480,345	A *	11/1984	Dunn	5/627
D289,274	S *	4/1987	Troup	D12/133
D328,351	S *	7/1992	Ott	D24/190
D329,216	S *	9/1992	Beeley et al.	D12/128
5,179,746	A	1/1993	Rogers	
D332,930	S *	2/1993	Clark et al.	D12/128
5,243,639	A *	9/1993	Johnson	378/180
D358,652	S *	5/1995	Pretzer	D24/190
5,473,784	A *	12/1995	Nixon et al.	5/625
5,560,059	A *	10/1996	McQueen	5/625
D379,784	S *	6/1997	Muhanna et al.	D12/128
D387,170	S *	12/1997	Schuster	D24/190
D403,423	S *	12/1998	Bologovsky et al.	D24/190
5,950,627	A *	9/1999	Bologovsky et al.	128/869
D423,104	S *	4/2000	Pachal et al.	D24/183
D435,493	S *	12/2000	Jewell et al.	D12/128
6,443,157	B1 *	9/2002	Sargent	128/870

D464,433	S *	10/2002	Kiefer et al.	D24/190
D471,634	S *	3/2003	Crutchfield	D24/190
D480,146	S *	9/2003	Crutchfield	D24/190
6,729,263	B2	5/2004	Miale et al.	
6,845,533	B1	1/2005	Tulette	

(Continued)

FOREIGN PATENT DOCUMENTS

WO	WO 97/17047	5/1997
WO	WO 2008/053500	5/2008

OTHER PUBLICATIONS

<http://thomasems.com>; Thomas E.M.S. A Thomas Transport Packs Company; Thomas Handles; 2 pages; 2006.

(Continued)

Primary Examiner — Susan E Krakower

(74) *Attorney, Agent, or Firm* — Thorpe North & Western LLP



(57) **CLAIM**

The ornamental design for a backboard with extendable handles for transporting a patient, as shown and described.

DESCRIPTION

FIG. 1 is an elevated, perspective view of the backboard with extendable handles for transporting a patient in accordance with my invention;
FIG. 2 is a top view thereof;
FIG. 3 is a bottom view thereof;
FIG. 4 is an enlarged top end view thereof;
FIG. 5 is an enlarged bottom end view thereof;
FIG. 6 is a left side view thereof;
FIG. 7 is a right side view thereof; and,
FIG. 8 is a bottom perspective view thereof.
The broken lines shown in FIGS. 1-8 illustrate environmental structure and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D506,710	S	*	6/2005	Hurtado	D12/133
D506,954	S	*	7/2005	Lara	D12/133
6,915,805	B2	*	7/2005	Crutchfield	128/870
6,954,952	B1	*	10/2005	Kroupa	5/625
D511,835	S	*	11/2005	Holland	D24/190
D589,849	S	*	4/2009	Powell et al.	D12/128
7,520,009	B1		4/2009	Heck		
2003/0213066	A1	*	11/2003	Richmond	5/625
2010/0122416	A1		5/2010	Bandel		

OTHER PUBLICATIONS

<http://thomasems.com>; Thomas E.M.S. A Thomas Transport Packs Company; Transfer Flat; 2 pages. 2006.

<http://www.waukboard.com>; the WauK™ board—A spinal immobilization board with the features of a dolly incorporated . . . ; 3 pages; printed Feb. 8, 2013.

PCT/US2013/028334; filed Feb. 28, 2013; Walter Robert Heck; International Search Report dated Jun. 27, 2013.

* cited by examiner



Fig. 1





Fig. 2

Fig. 3






Fig. 4





Fig. 5



Fig. 6

Fig. 7






Fig. 8