

US00D695003S

(12) **United States Design Patent**
Lee et al.

(10) **Patent No.:** **US D695,003 S**
(45) **Date of Patent:** **** Dec. 10, 2013**

(54) **THIMBLE**
(71) Applicants: **Young Tae Lee**, Gyeonggi-do (KR); **Jun Hyuk Lee**, Gyeonggi-do (KR)
(72) Inventors: **Young Tae Lee**, Gyeonggi-do (KR); **Jun Hyuk Lee**, Gyeonggi-do (KR)
(**) Term: **14 Years**
(21) Appl. No.: **29/442,742**
(22) Filed: **Apr. 30, 2013**

2,232,396 A * 2/1941 Lee et al. 2/21
2,389,237 A * 11/1945 Petruzzo 294/25
2,953,286 A * 9/1960 Fowler 223/101
D208,047 S * 7/1967 Brophy D3/29
3,728,736 A * 4/1973 Pugh 2/21
3,972,325 A * 8/1976 Bluestone 128/846
4,127,222 A * 11/1978 Adams 223/101
6,243,868 B1 * 6/2001 Wanzenried 2/21
6,402,211 B1 * 6/2002 Chapman 294/25
6,726,068 B2 * 4/2004 Miller 223/101
6,990,985 B1 * 1/2006 Allen et al. 132/200
D621,150 S * 8/2010 Kuwabara D3/29
D653,813 S * 2/2012 Rogers D29/114
2012/0222186 A1 * 9/2012 Vena 2/21
2012/0266345 A1 * 10/2012 Shambayati 2/21

(30) **Foreign Application Priority Data**
Oct. 30, 2012 (KR) 30-2012-0051636
(51) **LOC (9) Cl.** **02-07**
(52) **U.S. Cl.**
USPC **D3/29; D4/103**
(58) **Field of Classification Search**
USPC D3/18, 26, 29; D4/103; D29/113, 114;
2/16, 21; 294/25; 128/846, 880;
132/200; 223/101; 227/113; 7/121;
602/22, 58, 59; D24/189
See application file for complete search history.

* cited by examiner

Primary Examiner — Caron D Veynar
Assistant Examiner — Martie K Holtje
(74) *Attorney, Agent, or Firm* — Edwards Wildman Palmer LLP

(56) **References Cited**
U.S. PATENT DOCUMENTS
182,890 A * 10/1876 Chard 7/121
216,336 A * 6/1879 McCartney 223/101
D21,901 S * 10/1892 Wood D3/29
719,352 A * 1/1903 Marsh 294/25
942,003 A * 11/1909 Marsh 294/25
1,380,960 A * 6/1921 Hmenia 223/101
2,039,505 A * 5/1936 Vollmer 2/21
2,129,496 A * 9/1938 Hollingsworth 2/21

(57) **CLAIM**
The ornamental design for a thimble, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a thimble according to the present invention.
FIG. 2 is a front view of the thimble of FIG. 1.
FIG. 3 is a rear view of the thimble of FIG. 1.
FIG. 4 is a left side view of the thimble of FIG. 1.
FIG. 5 is a right side view of the thimble of FIG. 1.
FIG. 6 is a top view of the thimble of FIG. 1.
FIG. 7 is a bottom view of the thimble of FIG. 1; and,
FIG. 8 is a reference view showing a state in which the thimble of FIG. 1 is used.

1 Claim, 8 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

