



US00D695005S

(12) **United States Design Patent**
Kroupa

(10) **Patent No.:** **US D695,005 S**

(45) **Date of Patent:** **** Dec. 10, 2013**

(54) **PILL CASE**

(76) Inventor: **Robert Kroupa**, Chicago, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/397,117**

(22) Filed: **Jul. 12, 2011**

(51) **LOC (9) Cl.** **03-01**

(52) **U.S. Cl.**
USPC **D3/203.2**

(58) **Field of Classification Search**
USPC D3/201–205; 206/528–540; D7/515
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D357,500 S	*	4/1995	Mutterperl	D21/713
D362,960 S	*	10/1995	Stein	D3/226
D416,770 S	*	11/1999	Thorpe	D7/710
D646,053 S	*	10/2011	Traiger	D3/234
D653,443 S	*	2/2012	Roudybush	D3/202
D673,225 S	*	12/2012	Heidrich	D21/400

* cited by examiner

Primary Examiner — Catheri Oliver-Garcia

(74) *Attorney, Agent, or Firm* — Howard B. Rockman

(57) **CLAIM**

The ornamental design for a pill case, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a pill case showing the first embodiment of my new design, where the case is the design similar to a golf ball having flattened top and bottom surfaces, showing both halves of the container in their closed position;

FIG. 2 is one side elevation view of the pill case embodiment of FIG. 1;

FIG. 3 is a rear elevation view of the pill case embodiment of FIG. 1;

FIG. 4 is a top plan view of the pill case embodiment of FIG. 1;

FIG. 5 is a front elevation view of the pill case embodiment of FIG. 1;

FIG. 6 is a second side elevation view of the pill case embodiment of FIG. 1;

FIG. 7 is a bottom plan view of the pill case embodiment of FIG. 1;

FIG. 8 is a front perspective view of a pill case showing the second embodiment of my new design, where the case is the design similar to a tennis ball having flattened top and bottom surfaces, showing both halves of the case in their closed position;

FIG. 9 is one side elevation view of the pill case embodiment of FIG. 8;

FIG. 10 is a rear elevation view of the pill case embodiment of FIG. 8;

FIG. 11 is a top plan view of the pill case embodiment of FIG. 8;

FIG. 12 is a front elevation view of the pill case embodiment of FIG. 8;

FIG. 13 is a second side elevation view of the pill case embodiment of FIG. 8;

FIG. 14 is a bottom plan view of the pill case embodiment of FIG. 8;

FIG. 15 is a front perspective view of a pill case showing the third embodiment of my new design, where the case is the design similar to a baseball having flattened top and bottom surfaces, showing both halves of the case in their closed position;

FIG. 16 is one side elevation view of the pill case embodiment of FIG. 15;

FIG. 17 is a rear elevation view of the pill case embodiment of FIG. 15;

FIG. 18 is a top plan view of the pill case embodiment of FIG. 15;

FIG. 19 is a front elevation view of the pill case embodiment of FIG. 15;

FIG. 20 is a second side elevation view of the pill case embodiment of FIG. 15;

FIG. 21 is a bottom plan view of the pill case embodiment of FIG. 15;




FIG. 22 is a front perspective view of a pill case showing the fourth embodiment of my new design, where the case is the design similar to a volley ball having flattened top and bottom surfaces, showing both halves of the case in their closed position;

FIG. 23 is one side elevation view of the pill case embodiment of FIG. 22;

FIG. 24 is a rear elevation view of the pill case embodiment of FIG. 22;

FIG. 25 is a top plan view of the pill case embodiment of FIG. 22;

FIG. 26 is a front elevation view of the pill case embodiment of FIG. 22;

FIG. 27 is a second side elevation view of the pill case embodiment of FIG. 22;

FIG. 28 is a bottom plan view of the pill case embodiment of FIG. 22;

FIG. 29 is a front perspective view of a pill case showing the fifth embodiment of my new design, where the container is the design similar to a basketball having flattened top and bottom surfaces, showing both halves of the container in their closed position;

FIG. 30 is one side elevation view of the pill case embodiment of FIG. 29;

FIG. 31 is a rear elevation view of the pill case embodiment of FIG. 29;

FIG. 32 is a top plan view of the pill case embodiment of FIG. 29;

FIG. 33 is a front elevation view of the pill case embodiment of FIG. 29;

FIG. 34 is a second side elevation view of the pill case embodiment of FIG. 29;

FIG. 35 is a bottom plan view of the pill case embodiment of FIG. 29;

FIG. 36 is a front perspective view of a pill case showing the sixth embodiment of my new design, where the case is the design similar to a soccer ball having flattened top and bottom surfaces, showing both halves of the container in their closed position;

FIG. 37 is one side elevation view of the pill case embodiment of FIG. 36;

FIG. 38 is a rear elevation view of the pill case embodiment of FIG. 36;

FIG. 39 is a top plan view of the pill case embodiment of FIG. 36;

FIG. 40 is a front elevation view of the pill case embodiment of FIG. 36;

FIG. 41 is a second side elevation view of the pill case embodiment of FIG. 36;

FIG. 42 is a bottom plan view of the pill case embodiment of FIG. 36;

FIG. 43 is a front perspective view of a pill case showing the seventh embodiment of my new design where the container is the design similar to a beach ball having flattened top and bottom surfaces, showing both halves of the case in their closed position;

FIG. 44 is one side elevation view of the pill case embodiment of FIG. 43;

FIG. 45 is a rear elevation view of the pill case embodiment of FIG. 43;

FIG. 46 is a top plan view of the pill case embodiment of FIG. 43;

FIG. 47 is a front elevation view of the pill case embodiment of FIG. 43;

FIG. 48 is a second side elevation view of the pill case embodiment of FIG. 43;

FIG. 49 is a bottom plan view of the pill case embodiment of FIG. 43;

FIG. 50 is a front perspective view of a pill case showing the eighth embodiment of my new design, where the container is the design similar to a billiard ball having flattened top and bottom surfaces, showing both halves of the case in their closed position;

FIG. 51 is one side elevation view of the pill case embodiment of FIG. 50;

FIG. 52 is a rear elevation view of the pill case embodiment of FIG. 50;

FIG. 53 is a top plan view of the pill case embodiment of FIG. 50;

FIG. 54 is a front elevation view of the pill case embodiment of FIG. 50;

FIG. 55 is a second side elevation view of the pill case embodiment of FIG. 50; and

FIG. 56 is a bottom plan view of the pill case embodiment of FIG. 50.

FIG. 57 is a front perspective view of a pill case showing the ninth embodiment of my new design, where the container is the design similar to a football having flattened top and bottom surfaces, showing both halves of the case in their closed position;

FIG. 58 is one side elevation view of the pill case embodiment of FIG. 57;

FIG. 59 is a rear elevation view of the pill case embodiment of FIG. 57;

FIG. 60 is a top plan view of the pill case embodiment of FIG. 57;

FIG. 61 is a front elevation view of the pill case embodiment of FIG. 57;

FIG. 62 is a second side elevation view of the pill case embodiment of FIG. 57; and

FIG. 63 is a bottom plan view of the pill case embodiment of FIG. 57.

FIG. 64 is a front perspective view of a pill case showing the tenth embodiment of my new design, where the container is the design similar to a hockey puck having flattened top and bottom surfaces, showing both halves of the case in their closed position;

FIG. 65 is one side elevation view of the pill case embodiment of FIG. 64;

FIG. 66 is a rear elevation view of the pill case embodiment of FIG. 64;

FIG. 67 is a top plan view of the pill case embodiment of FIG. 64;

FIG. 68 is a front elevation view of the pill case embodiment of FIG. 64;

FIG. 69 is a second side elevation view of the pill case embodiment of FIG. 64; and,

FIG. 70 is a bottom plan view of the pill case embodiment of FIG. 64.

The material shown in the drawings with dotted lines does not form part of the design of the disclosed pill cases, but is included to show background material with which the subject inventive designs may be utilized.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 7




Fig. 6




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 14




Fig. 13




Fig. 15




Fig. 16




Fig. 17




Fig. 19




Fig. 21




Fig. 18




Fig. 20




Fig. 22




Fig. 23




Fig. 24




Fig. 25




Fig. 26




Fig. 28




Fig. 27




Fig. 29




Fig. 30




Fig. 31




Fig. 32




Fig. 33




Fig. 35




Fig. 34



Fig. 36



Fig. 37




Fig. 38




Fig. 40




Fig. 42




Fig. 39




Fig. 41




Fig. 43




Fig. 44




Fig. 45




Fig. 46




Fig. 47




Fig. 49




Fig. 48




Fig. 50




Fig. 51




Fig. 52




Fig. 53




Fig. 54




Fig. 56




Fig. 55




Fig. 57




Fig. 58




Fig. 59




Fig. 60




Fig. 61




Fig. 63




Fig. 62




Fig. 64




Fig. 65




Fig. 66




Fig. 67




Fig. 68




Fig. 70




Fig. 69