

US00D695135S

(12) **United States Design Patent**
Macqueen

(10) **Patent No.:** **US D695,135 S**
(45) **Date of Patent:** **** Dec. 10, 2013**

- (54) **COLLAPSIBLE CUP CARRIER**
 - (71) Applicant: **Sheffield Hallam University**, Sheffield (GB)
 - (72) Inventor: **Peter Graham Richard Macqueen**, Sheffield (GB)
 - (73) Assignee: **Sheffield Hallam University** (GB)
 - (**) Term: **14 Years**
 - (21) Appl. No.: **29/441,552**
 - (22) Filed: **Jan. 7, 2013**
 - (30) **Foreign Application Priority Data**
Jul. 17, 2012 (GB) 4025674
 - (51) **LOC (9) Cl.** **09-03**
 - (52) **U.S. Cl.**
USPC **D9/751**
 - (58) **Field of Classification Search**
USPC D9/755, 425, 420, 432, 455, 456, 424, D9/737, 433; D7/553.1, 553.2, 553.3; 248/311.2; 220/23.8, 507; 229/406, 229/407, 902, 904; 294/143, 159, 144, 172, 294/87.2; 206/217, 815, 592, 557, 564, 206/433, 203, 427, 521, 521.1, 150, 162, 206/199
- See application file for complete search history.

3,653,610	A *	4/1972	Owen	294/31.2
3,785,484	A *	1/1974	Cunningham	206/427
3,830,361	A *	8/1974	Klygis	206/150
4,109,787	A *	8/1978	Klygis et al.	206/150
4,196,807	A *	4/1980	Brom	206/427
4,385,691	A *	5/1983	Klygis	206/150
4,513,860	A *	4/1985	Rhoads	206/150
4,545,480	A *	10/1985	Klygis	206/151
4,546,876	A *	10/1985	Rhoads	206/150
4,548,317	A *	10/1985	Weaver	206/162
4,550,824	A *	11/1985	Rhoads	206/150
4,557,375	A *	12/1985	Weaver et al.	206/241
D291,168	S *	8/1987	Cranford	D7/620
4,793,647	A *	12/1988	Marvin	294/87.2
4,850,479	A *	7/1989	Bird	206/150
5,060,999	A *	10/1991	Marvin	294/87.2
5,098,144	A *	3/1992	Marvin	294/87.2
5,139,842	A *	8/1992	Sewell	428/116
5,290,083	A *	3/1994	Rissley	294/87.2
5,393,023	A *	2/1995	Callan	248/97
5,624,024	A *	4/1997	Miess	206/172
5,788,301	A *	8/1998	Slomski	294/87.2
6,230,882	B1 *	5/2001	Wischusen, III	206/194
D502,406	S *	3/2005	Eddings	D9/752
D632,930	S *	2/2011	Chretien	D7/620
8,083,126	B2 *	12/2011	Fleming et al.	229/117.14

* cited by examiner

Primary Examiner — Mark Goodwin
(74) *Attorney, Agent, or Firm* — Clark Hill PLC

(57) **CLAIM**
The ornamental design for a collapsible cup carrier, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a collapsible cup carrier showing my new design;
FIG. 2 is a perspective view from one side and above of the collapsible cup carrier; and,
FIG. 3 is a plan view of the collapsible cup carrier in a collapsed state.
The broken lines shown represent unclaimed subject matter and form no part of the claimed design.

1 Claim, 3 Drawing Sheets

- (56) **References Cited**
U.S. PATENT DOCUMENTS
- | | | | | | |
|-----------|-----|---------|------------------|-------|-----------|
| 2,887,265 | A * | 5/1959 | Glaser | | 206/521.7 |
| 2,994,426 | A * | 8/1961 | Biesecker et al. | | 206/150 |
| 3,094,259 | A * | 6/1963 | Diehl | | 294/159 |
| 3,341,245 | A * | 9/1967 | Wolford | | 294/87.2 |
| 3,385,626 | A * | 5/1968 | Wozniak | | 294/87.2 |
| 3,421,790 | A * | 1/1969 | Carson | | 294/87.26 |
| 3,608,949 | A * | 9/1971 | Owen | | 294/87.2 |
| 3,612,595 | A * | 10/1971 | Updegraff et al. | | 294/31.2 |




FIG. 1




FIG. 2




FIG. 3

