



US00D695234S

(12) **United States Design Patent**
Santiago et al.

(10) **Patent No.:** **US D695,234 S**

(45) **Date of Patent:** **** Dec. 10, 2013**

(54) **CONTROL PANEL**

(75) Inventors: **Todd Matthew Santiago**, Provo, UT (US); **James Ellis Nye**, Spanish Fork, UT (US); **Alexander Dunn**, Pleasant Grove, UT (US); **Bruce Ehlers**, Encinatas, CA (US); **Christopher Harris**, Salt Lake City, UT (US); **Scott Simon**, Melville, NY (US); **Lance Leo Dean**, Colleyville, TX (US)

(73) Assignee: **2Gig Technologies, Inc.**, Lehi, UT (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/417,625**

(22) Filed: **Apr. 5, 2012**

(51) **LOC (9) Cl.** **13-03**

(52) **U.S. Cl.**
USPC **D13/162**

(58) **Field of Classification Search**
USPC D13/162, 164; D10/49, 50; D14/443, D14/496; 200/5 R, 5 A, 296, 308, 310, 314; 340/500; 341/22, 34; 345/156, 173; 361/600, 601, 622, 627, 628, 679.01; 700/17, 83; 715/700, 810

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | |
|---------------|---------|-------------------------|---------|
| D315,315 S * | 3/1991 | Stairs, Jr. | D10/50 |
| 5,237,327 A * | 8/1993 | Saitoh et al. | 341/176 |
| D344,684 S * | 3/1994 | Metz et al. | D10/103 |
| D364,350 S * | 11/1995 | Pasquarette et al. | D10/50 |
| 5,850,333 A * | 12/1998 | Owanesian et al. | 361/704 |
| D429,702 S * | 8/2000 | Maruta et al. | D13/162 |
| D435,522 S * | 12/2000 | Ohlwine et al. | D13/162 |
| D453,148 S * | 1/2002 | Alexander et al. | D13/168 |
| D464,328 S * | 10/2002 | Vasquez et al. | D13/164 |
| D498,426 S * | 11/2004 | Svennberg | D10/50 |
| D506,151 S * | 6/2005 | Roher et al. | D10/50 |

| | | | |
|--------------|---------|-----------------------|---------|
| D512,691 S * | 12/2005 | Hisatsune | D13/164 |
| D513,737 S * | 1/2006 | Riley | D13/164 |
| D525,541 S * | 7/2006 | Barton et al. | D10/50 |
| D543,950 S * | 6/2007 | Ludlum et al. | D13/162 |
| D551,577 S * | 9/2007 | Barton et al. | D10/50 |
| D553,347 S * | 10/2007 | Cooney | D13/164 |
| D556,061 S * | 11/2007 | Rosen | D10/50 |
| D559,197 S * | 1/2008 | Lim et al. | D13/162 |
| D568,257 S * | 5/2008 | Tatsuyama et al. | D13/162 |
| D578,026 S * | 10/2008 | Roher et al. | D10/50 |

(Continued)

Primary Examiner — Selina Sikder

(74) *Attorney, Agent, or Firm* — Schwegman, Lundberg & Woesser, P.A.

(57) **CLAIM**

The ornamental design for a control panel, substantially as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a design for a control panel, which may be used in a security system, a home automation system, etc.;

FIG. 2 is a front view of the embodiment of the design for the control panel shown in FIG. 1;

FIG. 3 is a first side view of the embodiment of the design for the control panel shown in FIG. 1;

FIG. 4 is a second side view of the embodiment of the design for the control panel shown in FIG. 1;

FIG. 5 is a top view of the embodiment of the design for the control panel shown in FIG. 1;


FIG. 6 is a bottom view of the embodiment of the design for the control panel shown in FIG. 1; and,

FIG. 7 is a rear view of the embodiment of the design for the control panel shown in FIG. 1.

Broken lines are used in the drawings to illustrate embodiments of environment. The features illustrated in broken lines form no part of the claimed design.

The features shown in phantom form no part of the claimed design.

1 Claim, 3 Drawing Sheets



(56)

References Cited

U.S. PATENT DOCUMENTS

D582,800 S * 12/2008 Comerford et al. D10/50
D582,801 S * 12/2008 Comerford et al. D10/50
D592,982 S * 5/2009 Burt et al. D10/50
D603,807 S * 11/2009 Mehnert et al. D13/162

D614,585 S * 4/2010 Kuroda et al. D13/162
D648,641 S * 11/2011 Wallaert et al. D10/50
D649,073 S * 11/2011 Baskinger et al. D10/60
D667,740 S * 9/2012 Leung D10/50
D672,666 S * 12/2012 Rhodes et al. D10/50
D679,205 S * 4/2013 Eyring et al. D10/50

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : D695,234 S
APPLICATION NO. : 29/417625
DATED : December 10, 2013
INVENTOR(S) : Santiago et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the title page, in column 1, item “(75) Inventors”, line 5, delete “Encinatas” and insert --Encinitas--, therefor.

On the title page, in column 2, under “Description”, line 13, delete “and,” and insert --and--, therefor.

Signed and Sealed this
Fifth Day of August, 2014



Michelle K. Lee
Deputy Director of the United States Patent and Trademark Office