

US00D695372S

(12) **United States Design Patent**  
**Button et al.**

(10) **Patent No.:** **US D695,372 S**  
(45) **Date of Patent:** **\*\* Dec. 10, 2013**

(54) **CORK GRIP FOR GOLF PUTTERS**

(71) Applicant: **MW Outfitters, LLC**, Richmond, VA (US)

(72) Inventors: **Mark Button**, Richmond, VA (US);  
**Whitfield Flowers**, Tampa, FL (US)

(73) Assignee: **MW Outfitters, LLC**, Richmond, VA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/439,257**

(22) Filed: **Dec. 7, 2012**

(51) **LOC (9) Cl.** ..... **21-02**

(52) **U.S. Cl.**  
USPC ..... **D21/756**

(58) **Field of Classification Search**  
USPC ..... D21/756-758; 473/300-303, 200-204  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,587,082 A	6/1926	Mattern	
3,173,689 A	3/1965	Serblin	
3,606,326 A *	9/1971	Sparks et al.	473/300
3,782,725 A	1/1974	Giambazi	
3,837,647 A	9/1974	Jacques	
D265,576 S	7/1982	Lamkin et al.	
4,746,120 A *	5/1988	Mockovak	473/201
D314,600 S	2/1991	Tosti	
D319,278 S	8/1991	Tosti	
D355,011 S	1/1995	Subnick	
5,427,376 A	6/1995	Cummings et al.	
D361,110 S	8/1995	Koeneman et al.	
D375,340 S *	11/1996	Stryczek	D21/756

(Continued)

OTHER PUBLICATIONS

[http://corkygolf.com/Corky\\_Grips.html](http://corkygolf.com/Corky_Grips.html).

*Primary Examiner* — Mitchell Siegel

(74) *Attorney, Agent, or Firm* — Goodman, Allen & Filetti, PLLC; Matthew R. Osenga

(57) **CLAIM**

The ornamental design for a cork grip for golf putters, as shown and described.

**DESCRIPTION**

FIG. 1 is an isometric view of a first embodiment of the invention.

FIG. 2 is a front view of a first embodiment of the invention.

FIG. 3 is a rear view of a first embodiment of the invention.

FIG. 4 is a left view of a first embodiment of the invention.

FIG. 5 is a right view of a first embodiment of the invention.

FIG. 6 is a bottom view of a first embodiment of the invention.

FIG. 7 is a top view of a first embodiment of the invention.

FIG. 8 is an isometric view of a second embodiment of the invention.

FIG. 9 is a front view of a second embodiment of the invention.

FIG. 10 is a rear view of a second embodiment of the invention.

FIG. 11 is a left view of a second embodiment of the invention.


FIG. 12 is a right view of a second embodiment of the invention.

FIG. 13 is a bottom view of a second embodiment of the invention; and,

FIG. 14 is a top view of a second embodiment of the invention.

The broken lines showing the shaft, as seen in FIGS. 1 and 8, form no part of the claimed design.

**1 Claim, 6 Drawing Sheets**



(56)

**References Cited**

U.S. PATENT DOCUMENTS

D383,821 S \* 9/1997 Wood ..... D21/756  
D416,597 S 11/1999 Grove et al.  
6,226,836 B1 5/2001 Yasui  
6,666,777 B1 12/2003 Lamkin et al.

6,988,958 B2 \* 1/2006 Roelke ..... 473/295  
D629,480 S 12/2010 Garsen  
D641,443 S 7/2011 Watson  
D654,973 S 2/2012 Marshall  
D658,247 S 4/2012 Button  
8,272,973 B2 \* 9/2012 Lu ..... 473/300  
D676,910 S \* 2/2013 Button et al. .... D21/756

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14