



US00D695434S

(12) **United States Design Patent**
Shen

(10) **Patent No.:** **US D695,434 S**
(45) **Date of Patent:** **** Dec. 10, 2013**

(54) **MULTI-FUNCTIONAL LED LIGHT**

(75) Inventor: **Guilian Shen**, Ningbo (CN)

(73) Assignee: **Ningbo Taiweite Electric Appliance Co., Ltd**, Ningbo (CN)

(**) Term: **14 Years**

(21) Appl. No.: **29/428,281**

(22) Filed: **Jul. 27, 2012**

(30) **Foreign Application Priority Data**

May 29, 2012 (CN) 2012 3 0205647

(51) **LOC (9) Cl.** **26-02**

(52) **U.S. Cl.**
USPC **D26/41**

(58) **Field of Classification Search**
USPC D26/37, 38, 40–44, 46, 51; 362/157,
362/158, 171–174, 184, 183, 194–199,
362/202–208, 253

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D280,027	S	*	8/1985	Petterson		D26/40
D342,800	S	*	12/1993	Petterson et al.		D26/41
5,293,306	A	*	3/1994	Bamber		362/186
D350,830	S	*	9/1994	Bamber		D26/42
D372,997	S	*	8/1996	Meoli		D26/42
D374,099	S	*	9/1996	Bamber		D26/41
5,860,729	A	*	1/1999	Bamber		362/184
D434,863	S	*	12/2000	Boessel		D26/26
D437,432	S	*	2/2001	Meoli, Jr.		D26/37
D439,689	S	*	3/2001	Yuen		D26/42
6,227,677	B1	*	5/2001	Willis		362/196
D445,932	S	*	7/2001	Ceder		D26/42
D448,873	S	*	10/2001	Dalton et al.		D26/37
D524,962	S	*	7/2006	Farmer		D26/37
D541,961	S	*	5/2007	Tarter et		D26/40
D555,264	S	*	11/2007	Farmer		D26/37
D604,435	S	*	11/2009	Kingston et al.		D26/37

D612,084	S	*	3/2010	Hillard		D26/40
D612,965	S	*	3/2010	Extrand		D26/41
D612,969	S	*	3/2010	Schoch et al.		D26/50
D618,831	S	*	6/2010	Pennington		D26/26
D622,879	S	*	8/2010	Kotsis et al.		D26/37
D627,089	S	*	11/2010	Loibl		D26/40
D639,469	S	*	6/2011	Zhuang		D26/37
D648,054	S	*	11/2011	Zhuang		D26/37
D651,731	S	*	1/2012	Xu		D26/37
D656,647	S	*	3/2012	Hodgson		D26/44
D677,412	S	*	3/2013	Smith		D26/37

* cited by examiner

Primary Examiner — Ian Simmons

Assistant Examiner — Carissa C Fitts

(74) *Attorney, Agent, or Firm* — Muncy, Geissler, Olds & Lowe, PLLC

(57) **CLAIM**

The ornamental design for a multi-functional LED light, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a multi-functional LED light, showing my new design

FIG. 2 is a front elevational view thereof.

FIG. 3 is a rear elevational view thereof.

FIG. 4 is a left side view thereof.

FIG. 5 is a right side view thereof.

FIG. 6 is a top plan view thereof.

FIG. 7 is a bottom plan view thereof.

FIG. 8 is a perspective view thereof in an open and rotated position.


FIG. 9 is a perspective view thereof in an alternative open and rotated position.

FIG. 10 is a perspective view thereof in an alternative open and rotated position; and,

FIG. 11 is a perspective view thereof in an alternate open and rotated position.

The broken line showing is for the purpose of illustrating portions of the article and form no part of the claimed design.

1 Claim, 10 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11