



US00D695463S

(12) **United States Design Patent**
Keehu

(10) **Patent No.:** **US D695,463 S**
(45) **Date of Patent:** **** Dec. 10, 2013**

(54) **HOCKEY GOALIE SLIDER APPARATUS**

(71) Applicant: **Ioane Keehu**, Honolulu, HI (US)

(72) Inventor: **Ioane Keehu**, Honolulu, HI (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/440,329**

(22) Filed: **Dec. 20, 2012**

(51) **LOC (9) Cl.** **29-02**

(52) **U.S. Cl.**
USPC **D29/120.1**

(58) **Field of Classification Search**

USPC D29/100, 101.2, 101.5, 120.1, 121.2,
D29/122; D24/190, 192; 2/16, 22-24, 62,
2/227, 238, 267, 455, 911; 602/30,
602/60-62; 128/882; 36/72 R, 94-96
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,868,926	A *	9/1989	Lowson		2/22
5,093,931	A *	3/1992	LaBerge et al.		2/22
5,328,652	A *	7/1994	Thomson		264/51
5,655,221	A *	8/1997	Worischeck		2/16
6,178,555	B1 *	1/2001	Williams		2/22
6,654,961	B2 *	12/2003	Beland		2/22
D528,789	S *	9/2006	Calhoun		D3/254
7,152,246	B2 *	12/2006	Infante		2/22
7,823,218	B2 *	11/2010	Goyer et al.		2/22

* cited by examiner

Primary Examiner — Randall Gholson

(74) *Attorney, Agent, or Firm* — Steven Gray


(57) **CLAIM**

I claim the ornamental design for a hockey goalie slider apparatus, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of my new design for a hockey goalie slider apparatus, the view showing a left leg side thereof, the right leg side being a mirror image thereof; FIG. 2 is a rear perspective view of the article in FIG. 1; FIG. 3 is a front view of the article in FIG. 1; FIG. 4 is a rear view of the article in FIG. 1; FIG. 5 is a right side elevation view of the article in FIG. 1; FIG. 6 is a left side elevation view of the article in FIG. 1; FIG. 7 is a top side view of the article in FIG. 1, in which the view of the upper component is shown above and in parallel with the lower component of the article in FIG. 1; and FIG. 8 is a bottom side view of the article in FIG. 1, in which the view of the upper component is shown above and in parallel with the lower component of the article in FIG. 1. FIG. 9 is a front perspective view of the article in FIG. 1 shown in its environment of use installed on a hockey goalie pad (in broken lines); and, FIG. 10 is a perspective view of the article in FIG. 1, shown in its environment of use by a hockey goalie (in broken lines). The broken lines showing slots for straps and recessed areas for straps in FIGS. 1-8 depict environmental matter and form no part of the claimed design.

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10