



US00D695592S

(12) **United States Design Patent**
White

(10) **Patent No.:** **US D695,592 S**
(45) **Date of Patent:** **** Dec. 17, 2013**

(54) **BARRIER MOUNTING BRACKET FOR
ROADWAY SIGN BASE**

(75) Inventor: **Franklin B. White**, Ft. Pierce, FL (US)

(73) Assignee: **J.E. White LLC**, Ft. Pierce, FL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/373,968**

(22) Filed: **Jun. 15, 2011**

(51) **LOC (9) Cl.** **08-05**

(52) **U.S. Cl.**
USPC **D8/354**

(58) **Field of Classification Search**

USPC D8/349, 354, 355, 363, 373, 394, 333,
D8/300; D12/115; 248/161, 158, 176, 274,
248/298, 499-500, 551, 680, 251, 309.1,
248/309.2, 300, 201, 218.4, 200, 140;
40/606, 612, 607.14, 607.12;
211/17-24; 24/455

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,541,434	A *	2/1951	Nelson et al.	248/210
2,655,748	A *	10/1953	Hirt	40/612
D183,569	S	9/1958	Hoffman	D10/109.1
4,249,832	A	2/1981	Schmanski	404/6
4,338,041	A	7/1982	Schmanski	404/9
D296,075	S *	6/1988	Jones	D8/373
5,015,119	A	5/1991	Schmanski	404/12
5,208,585	A	5/1993	Sprague	340/908.1
D337,912	S *	8/1993	Silverberg	D6/567
5,244,172	A	9/1993	Allega	248/161
D342,011	S	12/1993	Maguire	D8/349
D370,171	S	5/1996	Emerson	D8/354
D377,751	S *	2/1997	Koebbe	D8/355
5,619,829	A *	4/1997	Tan et al.	52/293.3
D389,078	S	1/1998	Freeman	D10/113.2
D401,211	S	11/1998	Simpson	D12/223
5,878,519	A	3/1999	Huyck, Jr. et al.	40/612

D420,566	S	2/2000	Ely et al.	D8/354
D430,789	S *	9/2000	Opperman	D8/363
D464,013	S *	10/2002	Adams et al.	D12/223
D474,676	S *	5/2003	Bainbridge	D8/354
6,695,266	B1	2/2004	Tsai	248/125.8
6,962,461	B2	11/2005	Choi et al.	404/6
D520,322	S	5/2006	Orlando	D8/70

(Continued)

Primary Examiner — Mark Goodwin

(74) *Attorney, Agent, or Firm* — David A. Burge

(57) **CLAIM**

I claim the ornamental design for barrier mounting bracket for roadway sign base, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of my invention showing mainly top, front and left end features thereof;

FIG. 2 is a front view thereof;

FIG. 3 is a left end view thereof;

FIG. 4 is a right end view thereof;

FIG. 5 is a top view thereof;


FIG. 6 is a bottom view thereof;

FIG. 7 is a perspective view like FIG. 1 thereof, with the addition thereto of a minor short tubular connector element, it being understood that the bracket of FIG. 7 is identical in all respects to the bracket shown in FIGS. 1-6 except for the addition thereto of the short tubular connector element thereto; and,

FIG. 8 is a right side view showing how brackets of the present invention may be used to mount a roadway safety sign base atop a concrete barrier of the type used to temporarily segregate lanes of roadway traffic.

The broken lines shown in the drawings depicting components such as bracket clamping adjustment fasteners, a conventional concrete barrier used on roadways, portions of a roadway safety sign base, and an extra barrier mounting bracket for roadway sign base shown in FIG. 8 represent unclaimed subject matter and form no part of the claimed design.

1 Claim, 5 Drawing Sheets



Page 2

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8