



(12) **United States Design Patent**  
**Webster et al.**

(10) **Patent No.:** **US D695,626 S**  
(45) **Date of Patent:** **\*\* Dec. 17, 2013**

(54) **PRODUCT TRAY**

(75) Inventors: **Geoffrey Scott Webster**, Acworth, GA  
(US); **Jeffrey Scott James**, Elmhurst, IL  
(US)

(73) Assignee: **Rock-Tenn Shared Services, LLC**,  
Norcross, GA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/424,133**

(22) Filed: **Jun. 7, 2012**

(51) **LOC (9) Cl.** ..... **09-01**

(52) **U.S. Cl.**  
USPC ..... **D9/669; D9/432**

(58) **Field of Classification Search**  
USPC ..... D3/270; D7/566–567, 550.1, 551.1,  
D7/554.3; D9/600, 669, 430–433,  
D9/455–456; 206/457, 527; 229/116.1,  
229/186, 190, 406–407

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,851,209	A *	9/1958	Bergstein	.....	229/190
3,233,812	A *	2/1966	Kennedy	.....	229/406
D383,669	S *	9/1997	Taylor	.....	D9/669
D408,731	S *	4/1999	Taylor et al.	.....	D9/669
D423,359	S *	4/2000	MacLean et al.	.....	D9/456
D460,691	S *	7/2002	Morris et al.	.....	D9/456
6,679,372	B1 *	1/2004	Shaffer	.....	206/457
D507,843	S *	7/2005	Calimlim	.....	D26/94
D528,366	S *	9/2006	Medard	.....	D7/566
D553,495	S *	10/2007	Vandecasteele et al.	.....	D9/432
D603,255	S *	11/2009	King	.....	D9/433
D603,256	S *	11/2009	King	.....	D9/433

\* cited by examiner

*Primary Examiner* — Sandra Morris

(74) *Attorney, Agent, or Firm* — Armstrong Teasdale LLP

(57) **CLAIM**

The ornamental design for a product tray, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of my new product tray of a first embodiment.

FIG. 2 is a right side elevation view of the product tray of the first embodiment.

FIG. 3 is a front elevation view of the product tray of the first embodiment.

FIG. 4 is a left side elevation view of the product tray of the first embodiment.

FIG. 5 is a rear elevation view of the product tray of the first embodiment.

FIG. 6 is a top view of the product tray of the first embodiment.

FIG. 7 is another perspective view of the product tray of the first embodiment, shown containing product in broken lines, e.g. twenty-four (24) cans.

FIG. 8 is another perspective view of the product tray of the first embodiment, shown containing product in broken lines, e.g. two (2) cases.

FIG. 9 is a front perspective view of a second embodiment of the product tray, similar to FIG. 1 except for the top edge of the front, rear and side panels are substantially curvilinear instead of linear and the image design of the right side portion of the front, rear and side panels are substantially curvilinear instead of linear.

FIG. 10 is a right side elevation view of the product tray of the second embodiment.

FIG. 11 is a front elevation view of the product tray of the second embodiment.

FIG. 12 is a left side elevation view of the product tray of the second embodiment.

FIG. 13 is a rear elevation view of the product tray of the second embodiment.

FIG. 14 is a top view of the product tray of the second embodiment.

FIG. 15 is another perspective view of the product tray of the second embodiment, shown containing product in broken lines, e.g. twenty-four (24) cans.




FIG. **16** is another perspective view of the product tray of the second embodiment, shown containing product in broken lines, e.g. two (2) cases.

FIG. **17** is a front perspective view of a third embodiment of the product tray, similar to FIG. **1** except for the image design of the right side portion of the front, rear and side panels are substantially curvilinear instead of linear.

FIG. **18** is a right side elevation view of the product tray of the third embodiment.

FIG. **19** is a front elevation view of the product tray of the third embodiment.

FIG. **20** is a left side elevation view of the product tray of the third embodiment.

FIG. **21** is a rear elevation view of the product tray of the third embodiment.

FIG. **22** is a top view of the product tray of the third embodiment.

FIG. **23** is another perspective view of the product tray of the third embodiment, shown containing product in broken lines, e.g. twenty-four (24) cans; and,

FIG. **24** is another perspective view of the product tray of the third embodiment, shown containing product in broken lines, e.g. two (2) cases.

The broken lines shown in FIGS. **7**, **8**, **15**, **16**, **23** and **24** indicating structure adjacent to the product tray, are shown to provide context for the product tray, and form no part of the invention as claimed.

**1 Claim, 24 Drawing Sheets**

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 6






FIG. 7

FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13





FIG. 14






FIG. 15




FIG. 16

FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21





FIG. 22






FIG. 23

FIG. 24

