



US00D695730S

(12) **United States Design Patent**
Wicks et al.

(10) **Patent No.:** **US D695,730 S**
(45) **Date of Patent:** **** Dec. 17, 2013**

(54) **CASE FOR ELECTRONIC DEVICE**

(71) Applicant: **Otter Products, LLC**, Fort Collins, CO (US)

(72) Inventors: **Jeffrey Wicks**, Fort Collins, CO (US);
Carlton Russell Lay, Fort Collins, CO (US)

(73) Assignee: **Otter Products, LLC**, Fort Collins, CO (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/450,830**

(22) Filed: **Mar. 24, 2013**

(51) **LOC (9) Cl.** **14-03**

(52) **U.S. Cl.**
USPC **D14/250**

(58) **Field of Classification Search**
USPC D14/250–253, 440, 203.3–203.7, 217,
D14/496, 248, 238.1, 240, 447, 341–347,
D14/444, 138 AA, 138 G; D13/103,
D13/107–108, 119; D3/201, 218, 247, 269,
D3/273, 301, 303; 248/309.1, 371, 176.3,
248/668; 361/679.56, 679.3, 679.25, 816;
379/426, 433.11, 455; 455/575.1,
455/575.8; 206/305, 320; 320/108, 115;
429/96; 220/4.02

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D565,291 S * 4/2008 Brandenburg et al. D3/218
D609,463 S * 2/2010 Bullen D3/218
D613,282 S * 4/2010 Richardson et al. D14/250
D615,535 S * 5/2010 Richardson et al. D14/250

D617,784 S * 6/2010 Richardson et al. D14/250
D619,130 S * 7/2010 Fellig D14/250
D623,179 S * 9/2010 Richardson et al. D14/250
D626,119 S * 10/2010 Fellig D14/250
D636,386 S * 4/2011 Richardson et al. D14/250
D638,828 S * 5/2011 Melanson et al. D14/250
D638,829 S * 5/2011 Melanson et al. D14/250
D641,013 S * 7/2011 Richardson et al. D14/250
D642,169 S * 7/2011 Andre et al. D14/250
D651,203 S * 12/2011 Michie et al. D14/250
D654,483 S * 2/2012 Richardson et al. D14/250
D662,924 S * 7/2012 Melanson et al. D14/250
D670,280 S * 11/2012 Rayner D14/250
D673,554 S * 1/2013 Simmer D14/250
8,395,894 B2 * 3/2013 Richardson et al. 361/679.55
D681,023 S * 4/2013 Weller et al. D14/250
2012/0118773 A1 * 5/2012 Rayner 206/320

* cited by examiner

Primary Examiner — Carla Jobe Wright

(57) **CLAIM**



The ornamental design for a case for electronic device, as shown and described.

DESCRIPTION

FIG. 1 is a front isometric view of a case for electronic device showing our new design;
FIG. 2 is a rear isometric view thereof;
FIG. 3 is a front view thereof;
FIG. 4 is a rear view thereof;
FIG. 5 is a left view thereof;
FIG. 6 is a right view thereof;
FIG. 7 is a top view thereof; and,
FIG. 8 is a bottom view thereof.

The dot-dash-dot broken lines represent boundaries of the claimed design. The dash-dash-dash broken lines depict unclaimed environment. The broken lines form no part of the claimed design.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8