

US00D696006S

(12) **United States Design Patent**  
**Lee et al.**

(10) **Patent No.:** **US D696,006 S**

(45) **Date of Patent:** **\*\* Dec. 24, 2013**

(54) **THIMBLE**

(71) Applicants: **Young Tae Lee**, Gyeonggi-do (KR); **Jun Hyuk Lee**, Gyeonggi-do (KR)

(72) Inventors: **Young Tae Lee**, Gyeonggi-do (KR); **Jun Hyuk Lee**, Gyeonggi-do (KR)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/442,741**

(22) Filed: **Apr. 30, 2013**

(30) **Foreign Application Priority Data**

Oct. 30, 2012 (KR) ..... 30-2012-0051633

(51) **LOC (9) Cl.** ..... **02-07**

(52) **U.S. Cl.**  
USPC ..... **D3/29; D4/103**

(58) **Field of Classification Search**  
USPC ..... D3/18, 26, 29; D4/103; D29/113, 114;  
2/16, 21; 128/846, 880; 223/101;  
227/113; 132/200; 7/121; 294/25;  
602/22, 58, 59; D24/189  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|           |     |         |            |       |         |
|-----------|-----|---------|------------|-------|---------|
| 216,336   | A * | 6/1879  | McCartney  | ..... | 223/101 |
| D21,901   | S * | 10/1892 | Wood       | ..... | D3/29   |
| 837,896   | A * | 12/1906 | Bourne     | ..... | 223/101 |
| 1,380,960 | A * | 6/1921  | Hmenia     | ..... | 223/101 |
| 2,039,505 | A * | 5/1936  | Vollmer    | ..... | 2/21    |
| 2,232,396 | A * | 2/1941  | Lee et al. | ..... | 2/21    |
| D134,920  | S * | 1/1943  | Smith      | ..... | D3/29   |
| 2,502,266 | A * | 3/1950  | Mateo      | ..... | 2/21    |
| 2,953,286 | A * | 9/1960  | Fowler     | ..... | 223/101 |

|              |      |         |              |       |         |
|--------------|------|---------|--------------|-------|---------|
| D208,047     | S *  | 7/1967  | Brophy       | ..... | D3/29   |
| 3,348,541    | A *  | 10/1967 | Loebeck      | ..... | 602/58  |
| 3,728,736    | A *  | 4/1973  | Pugh         | ..... | 2/21    |
| 3,972,325    | A *  | 8/1976  | Bluestone    | ..... | 128/846 |
| 4,908,881    | A *  | 3/1990  | Field        | ..... | 2/21    |
| 6,243,868    | B1 * | 6/2001  | Wanzenried   | ..... | 2/21    |
| 6,726,068    | B2 * | 4/2004  | Miller       | ..... | 223/101 |
| 6,990,985    | B1 * | 1/2006  | Allen et al. | ..... | 132/200 |
| D621,150     | S *  | 8/2010  | Kuwabara     | ..... | D3/29   |
| D653,813     | S *  | 2/2012  | Rogers       | ..... | D29/114 |
| 2006/0137069 | A1 * | 6/2006  | Yang et al.  | ..... | 2/21    |
| 2012/0266345 | A1 * | 10/2012 | Shambayati   | ..... | 2/21    |

\* cited by examiner

*Primary Examiner* — Caron D Veynar

*Assistant Examiner* — Martie K Holtje

(74) *Attorney, Agent, or Firm* — Edwards Wildman Palmer LLP

(57) **CLAIM**

The ornamental design for a thimble, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a thimble according to the present invention.

FIG. 2 is a front view of the thimble of FIG. 1.

FIG. 3 is a rear view of the thimble of FIG. 1.

FIG. 4 is a left side view of the thimble of FIG. 1.

FIG. 5 is a right side view of the thimble of FIG. 1.


FIG. 6 is a top view of the thimble of FIG. 1.

FIG. 7 is a bottom view of the thimble of FIG. 1; and,


FIG. 8 is a reference view showing a state in which the thimble of FIG. 1 is used.

The broken line structure in FIG. 7 has been shown for the purpose of illustrating a portion of the thimble that forms no part of the claimed design.


**1 Claim, 8 Drawing Sheets**




**FIG. 1**




**FIG. 2**




**FIG. 3**




**FIG. 4**




**FIG. 5**



**FIG. 6**



**FIG. 7**





**FIG. 8**

