

US00D696111S

(12) **United States Design Patent**  
**Sundy et al.**

(10) **Patent No.:** **US D696,111 S**  
(45) **Date of Patent:** **\*\* Dec. 24, 2013**

(54) **PLASTIC FOOD CONTAINER COMPRISING  
A BASE AND LID**

(71) Applicant: **Anchor Packaging, Inc.**, St. Louis, MO  
(US)

(72) Inventors: **Jonathan P. Sundy**, Columbia, MO  
(US); **Jeffery F. Feng**, Sugar Land, TX  
(US)

(73) Assignee: **Anchor Packaging, Inc.**, Ballwin, MO  
(US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/437,517**

(22) Filed: **Nov. 16, 2012**

(51) **LOC (9) Cl.** ..... **09-03**

(52) **U.S. Cl.**  
USPC ..... **D9/429**

(58) **Field of Classification Search**

USPC ..... D9/414-416, 418-420, 423-432, 435;  
D7/354, 392.1, 394, 396.1, 538, 543,  
D7/545, 550.1, 551, 554.3, 587, 566, 575,  
D7/584, 586, 605, 629, 667, 709;  
220/4.21-4.24, 574, 602-608, 659,  
220/675, 781-782, 793, 835, 839, DIG. 12;  
229/401, 406; 206/119, 216, 351, 469,  
206/470, 508, 521.1, 525-545, 562,  
206/731-734, 775-778, 781, 782, 784, 806,  
206/822, 830; 219/725, 728, 732, 735;  
D23/359; D3/272-273, 276, 294, 302,  
D3/312, 314; 221/191

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D469,689 S \* 2/2003 Buchalski et al. .... D9/425  
D592,499 S \* 5/2009 Colacitti ..... D9/425

(Continued)

*Primary Examiner* — Thomas Johannes

(74) *Attorney, Agent, or Firm* — Don V. Kelly; Evans &  
Dixon, LLC

(57) **CLAIM**

The ornamental design for a plastic food container comprising a base and lid, as shown and described.

## DESCRIPTION

FIG. 1 is a front perspective view of a plastic food container comprising a base and lid (the base having the lid secured thereon) showing the new design;

FIG. 2 is an angled front perspective view of the bottom thereof (the base having the lid secured thereon);

FIG. 3 is a front elevation view thereof (the base having the lid secured thereon), the rear elevation view being an identical image thereof;

FIG. 4 is a left side elevation view thereof (the base having the lid secured thereon), the right side elevation view being an identical image thereof;

FIG. 5 is a top plan view thereof (the base having the lid secured thereon);

FIG. 6 is a bottom plan view thereof (the base having the lid secured thereon);

FIG. 7 is an angled front exploded perspective view thereof with the lid detached from the base for clarity of illustration;

FIG. 8 is a front elevation view of the lid thereof, the rear elevation view of the lid being an identical image thereof;

FIG. 9 is a left side elevation view of the lid thereof, the right side elevation view being an identical image thereof;

FIG. 10 is a top plan view of the lid thereof;


FIG. 11 is a front elevation view of the base thereof, the rear elevation view of the base being an identical image thereof;

FIG. 12 is a left side elevation view of the base thereof, the right side elevation view of the base being an identical image thereof;

FIG. 13 is a top plan view of the base thereof; and,

FIG. 14 is a bottom plan view of the base thereof.

**1 Claim, 14 Drawing Sheets**



(56)

References Cited

U.S. PATENT DOCUMENTS

D594,325 S \* 6/2009 Colacitti ..... D9/425

D608,154 S \* 1/2010 Furlong ..... D7/602

D649,409 S \* 11/2011 Segal ..... D7/629

D665,674 S \* 8/2012 Wu ..... D9/730

D689,363 S \* 9/2013 Sundy et al. .... D9/429

\* cited by examiner




FIGURE 1






FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6






FIGURE 7




FIGURE 8




FIGURE 9




FIGURE 10






FIGURE 11




FIGURE 12




FIGURE 13




FIGURE 14