



US00D696205S

(12) **United States Design Patent**
Woodlief

(10) **Patent No.:** **US D696,205 S**

(45) **Date of Patent:** **** Dec. 24, 2013**

(54) **DROP OUT**

(75) Inventor: **Wallace Sanford Woodlief**, Houston,
TX (US)

(73) Assignee: **Enduro Composites, Inc.**, Houston, TX
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/416,017**

(22) Filed: **Mar. 16, 2012**

(51) **LOC (9) Cl.** **13-03**

(52) **U.S. Cl.**

USPC **D13/155**

(58) **Field of Classification Search**

USPC D13/133, 149, 151, 153, 154, 155, 156,
D13/158, 170, 184, 199; D8/339, 342, 343,
D8/344, 349, 354, 364, 366, 376, 377, 380,
D8/381; D25/48.2, 119, 120, 121, 123,
D25/126, 13, 132, 133, 136, 164; 439/110,
439/115, 116, 119, 120, 121, 122, 207, 209,
439/210, 211; 174/68.2, 74.3, 74.4, 74.2,
174/95, 97, 99 B, 101, 365; 248/55, 65,
248/67.5, 73; 52/653.1

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D110,432 S * 7/1938 Lowry D25/119
D128,793 S * 8/1941 Bonnell D25/119
D141,051 S * 5/1945 Ketchum D25/119
D201,673 S * 7/1965 Stevens D25/119
3,473,278 A * 10/1969 Gossen 52/288.1
D241,396 S * 9/1976 Copeland D25/119
D245,709 S * 9/1977 Dallaire D25/119
D266,143 S * 9/1982 Smith D8/377
4,695,019 A 9/1987 Lindberg et al.

D295,521 S * 5/1988 Mockett D13/155
D322,389 S * 12/1991 Harmon D8/380
D328,139 S * 7/1992 Boer D25/119
D359,368 S * 6/1995 Anderson D25/136
D373,068 S * 8/1996 Airey D8/349
D484,544 S * 12/2003 Healy D20/43
D520,862 S * 5/2006 Munson et al. D8/354
D566,139 S * 4/2008 Murase D15/72
D573,267 S * 7/2008 Brinton et al. D25/119

FOREIGN PATENT DOCUMENTS

ES 2097015 3/1995
FR 2395449 1/1979
WO 2006125907 A2 11/2006

OTHER PUBLICATIONS

Cope-glas TM, Fiberglass Cable Tray Product Catalog (2007),
retrieved from www.simrep.com/copeglas.pdf.

* cited by examiner

Primary Examiner — Derrick Holland

Assistant Examiner — Lauren Calve

(74) *Attorney, Agent, or Firm* — Bracewell & Giuliani LLP


(57) **CLAIM**

I claim the ornamental design for a drop out, as shown and
described.

DESCRIPTION

FIG. 1 is a perspective view of a drop out of my invention;
FIG. 2 is a front elevation view of the drop out of FIG. 1;
FIG. 3 is rear elevation view of the drop out of FIG. 1;
FIG. 4 is a top plan view of the drop out of FIG. 1;
FIG. 5 is a bottom plan view of the drop out of FIG. 1; and,
FIG. 6 is a left side elevation view of the drop out of FIG. 1,
the right side being a mirror image.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 6




FIG. 4




FIG. 5